PARTS EXPRESS

YOUR ELECTRONICS CONNECTION™

The #1 Source for Audio, Video & Speaker Building Components!

Prices Effective: 7/1/09 – 8/31/09

FREE SHIPPING EVERYDAY!
*On most orders over $98

Splash Into Summer SAVINGS

New Products, Specials & Buyouts!

$59.88 EACH Page 5

PHILIPS
8-Outlet Home Theater Surge Protector
It serves and protects!

Variable Temperature Soldering Station
Right tool for the job!

Stahl Tools

$14.98 EACH Page 14

9.9 ft. HDMI Cable
Now that's a great price!

$5.00 EACH Page 6

AudioSource®

$79.00 EACH Page 8

2-Ch Source Switching Power Amplifier
It's state of the art!

DAYTON AUDIO

$29.00 PAIR Page 5

At this price, do every room!

6-1/2" 2-Way Ceiling Speaker Pair

50 ft.

$25.00 EACH Page 10

AR Acoustic Research

18 AWG Microflat Tape-Style Speaker Wire
This ain't your parents' speaker wire!

DIY P. 16

Build The Exciting TriTrix MTM Tower Speakers!

parts-express.com

Parts Express has provided electronic parts and accessories to the audio/video industry since 1986. We are proud to offer our customers—from sound technicians to audio enthusiasts—the finest audio and video products for quality home and professional installations.

Buying From Parts Express Is Easy

parts-express.com

1

Detailed product descriptions, user product reviews, diagrams, and a do-it-yourself resource area are online at parts-express.com. Orders placed before 4:00 PM ET are shipped the same day (except USPS).

PE Wholesale

2

Are you an OEM, installer/integrator, retailer, or in the gaming or amusement park business? We offer personalized service, exclusive discount pricing, outstanding tech support, and more. Go to wholesale.parts-express.com or call 1-866-366-4909.

EDU Sales

3

Universities, Colleges, K-12, and Technical Schools—we have a program just for you! Plus, we now offer discounted pricing for all EDU accounts. Go to education.parts-express.com or call 1-866-366-4909 ext.186.

Showroom

Come visit us at our showroom:

725 Pleasant Valley Dr.
Springboro, OH 45066
937-743-3000 ext. 131

Catalog

Visit our website now to order your free copy or to browse our easy to use digital catalog.

VISA MasterCard DISCOVER AMERICAN EXPRESS

BillMeLater® No Wallet. No Wait. No Worries™



Call Center

Trained and dedicated representatives are available via phone, email or live chat to quickly and accurately process orders, answer questions, provide pricing and availability, and send you our latest catalogs and sales flyers.

Technical Support

Our highly regarded technical support team has hands-on product experience and technical electronics knowledge. For assistance with your audio/video projects call 1-800-338-0531 or email tech@parts-express.com or visit our website to chat live with our techs!

*Free Shipping on most orders over $98!

- Free Ground shipping (to a single address) for orders with a merchandise total of **$98** or more.
- Available only to **online** orders (phone and mail orders not eligible) shipping to destinations within the **Continental U.S.** (excluding APO/FPO).
- Applies to **retail internet, catalog, and sale flyer priced merchandise.**
- Items not Ground shippable due to weight, cube, or aerosol restrictions do not qualify for Free Shipping Everyday. Some large, heavy, or bulky items may require additional shipping charges and are noted as such on the product detail page and at checkout.
- Please allow 1-5 days for delivery.
- Free Shipping Everyday eligibility will not apply if items are cancelled which reduce the merchandise order total below the $98 minimum order requirement.
- COD orders are not eligible for Free Shipping Everyday.
- Free Shipping Everyday terms and conditions are subject to change without notice.

Home Audio/Video

4

Featured Products



BIC RtR 15" 3-Way Tower Speaker

Page 4

Tymphany LAT Subwoofer

Page 20

Crown 35W Commercial Mixer-Amplifier

Page 28

New Products

Pg. 4 **New:** BIC Venturi Bookshelf, Tower & Subwoofers

Pg. 6 **New:** X-Treem LCD Plasma Wall Mounts

Pg. 15 **New:** Ultra/Super Ultra Bright LEDs

Pg. 20 **New:** Square Frame 10", 12", 15" Woofers

Pg. 25 **New:** ESS Heil Air Motion Transformer and Diaphragms

Pg. 30 **New:** Behringer Europower Series Power Amplifiers

INSIDE!
New Products, Specials & Buyouts!

Two events you won't want to miss!

WAREHOUSE tent sale July 11 2009

Parts Express is having its Annual Tent Sale on Saturday, July 11 at the Springboro, Ohio headquarters. For **One Day Only** we will be discounting everything in our Retail Store and providing a great selection of factory buyouts, scratch & dent items, and one of a kind samples. Awesome deals, giveaways, hot dogs and more, all day long! Come join us and get the lowest prices you'll find on our products all year!
Go to parts-express.com/tentsale for driving directions.

DIY Dayton daytondiy.com July 11, 2009

Speaker builders, don't miss this opportunity to show your fellow audio enthusiasts what you're made of! **Dayton DIY** takes place during the Parts Express tent sale and is an opportunity for you to show off your speaker projects and have a chance at winning exciting prizes. Plan on having a great time with great people! **Sponsored by Dayton Audio and Parts Express. Visit daytondiy.com for more details.**

Parts & Accessories 14

Speaker Building 16

Pro Audio 26

Car Audio 31

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

NEW **BIC Venturi Speakers at Parts Express!**
Get superior quality sound with the Venturi line of speakers from BIC America.

BIC America

BIC DV32-B 3-1/2" 2-Way Shielded Bookshelf Speaker Pair

- Gold plated push terminals
- 7-year parts and labor warranty
- 3-1/2" poly/graphite woofers
- 1/2" poly dome tweeters

Specifications: • Recommended power: 5-125 watts • Frequency response: 80-20,000 Hz (± 3 dB) frequency response • Sensitivity: 90 dB @ 1W/1m • Impedance: 8 ohms • Dimensions: 7" H x 4-7/8" W x 4-1/8" D.

#303-400 (Black)
#303-401 (White)..... $150.00 LIST **$63.99** PAIR

BIC DV62si 6-1/2" 2-Way Shielded Bookshelf Speaker Pair

- Gold plated speaker push terminals
- 6-1/2" poly/graphite woofers
- 3/4" poly dome tweeters
- 7-year warranty

Specifications: • Recommended power: 10-175 watts • Frequency response: 43-21,000 Hz (± 3 dB) • Sensitivity: 90 dB @ 1W/1m • Impedance: 8 ohms • Dimensions: 14-1/4" H x 8-7/8" W x 9-1/8" D.

#303-402..... $275.00 LIST **$133.32** PAIR

BIC DV32CLR 2-Way MTM Center Channel Speaker

- D'Appolito design with two 3-1/2" poly/graphite woofers
- 1/2" poly dome tweeter
- Magnetically shielded
- Gold plated speaker push terminals
- 7-year warranty

Specifications: • Recommended power: 5-125 watts • Frequency response: 75-20,000 Hz (± 3 dB) • Sensitivity: 90 dB @ 1W/1m • Impedance: 8 ohms • Dimensions: 4-5/8" H x 10-3/4" W x 6" D.

#303-410..... $99.00 LIST **$50.65** EACH

BIC DV62CLR-S 2-Way MTM Center Channel Speaker

- Two shielded 6-1/2" poly/graphite woofers
- 3/4" poly soft dome tweeter
- 7-year warranty
- Gold plated speaker push terminals
- D'Appolito design

Specifications: • Recommended power: 10-175 watts • Frequency response: 38-20,000 Hz (± 3 dB) • Sensitivity: 90 dB @ 1W/1m • Impedance: 8 ohms • Dimensions: 7-11/16" H x 20" W x 10" D.

#303-412..... $269.00 LIST **$130.65** EACH

BIC DV64 Tower Speaker

- Dual shielded 6-1/2" poly/graphite woofers
- Two 6-1/2" passive radiators for bass augmentation
- 3/4" soft dome tweeter
- Gold plated speaker push terminals
- Slim tower design with a small footprint

Specifications: • Recommended power: 10-200 watts • Frequency response: 29-21,000 Hz (± 3 dB) • Sensitivity: 90 dB @ 1W/1m • Impedance: 8 ohms • Dimensions: 38" H x 8-1/2" W x 9-1/4" D.

#303-420..... $299.00 LIST **$146.65** EACH

BIC V1020 10" 160W Subwoofer

- Adjustable low pass electronic crossover
- Built-in amplifier featuring BASH technology
- Bass reflex design featuring Venturi ports
- 7-year speaker warranty
- 2-year amplifier warranty

Specifications: • Amplifier power output: 160 watts RMS/350 watts peak • Driver: Long excursion 10" subwoofer • Frequency response: 26-180 Hz • Dimensions: 16-1/2" H x 15" W x 13" D.

#303-430..... $349.00 LIST **$185.32** EACH

BIC V1220 12" 200W Subwoofer

- Built-in 200W RMS (430W peak) BASH amplifier
- Heavy duty 12" subwoofer with butyl rubber surround
- Bass reflex cabinet with patented Venturi vent
- 7-year driver warranty
- 2-year amplifier warranty

Specifications: • Amplifier power output: 200 watts RMS/430 watts peak • Driver: Long excursion 12" subwoofer • Frequency response: 23-180 Hz • Dimensions: 18-1/2" H x 17" W x 14" D.

#303-432..... $449.00 LIST **$223.99** EACH

Need more info? Visit parts-express.com!

BIC Venturi Search

BIC RtR 1530 15" 3-Way Tower Speaker

- Heavy duty 15" woofers with high temp voice coil
- 4" wide dispersion midrange
- Ferrofluid cooled 2-1/2" tweeter
- Massive 3/4" MDF cabinets
- 5-year limited warranty

Specifications: • Recommended power: 10-325 watts • Frequency response: 33-19,000 Hz (± 3 dB) • Sensitivity: 90 dB @ 1W/m • Impedance: 8 ohms • Dimensions: 39" H x 17" W x 11" D.

#303-422..... $225.00 LIST **$118.65** EACH

Dayton Audio CS620C 6-1/2" Coaxial Ceiling Speaker Pair

- 1" mylar tweeter
- 6-1/2" carbon fiber woofer
- Popular "dog-ear" mounting system
- 70V version for commercial applications
- 70V taps can be set at 0.62W, 1.25W, 2.5W, 5W, 10W



SPECIAL

Specifications: • Power handling: 30 watts RMS/45 watts max • Impedance: 8 ohms • Frequency response: 60-20,000 Hz • SPL: 89 dB 1W/1m • Dimensions: 8-1/2" dia. x 2-3/4" D • Cutout size: 7-3/8" dia. • Sold in pairs.

#300-402 ..... $69.99 LIST Regularly $46.80 **$29.00** PAIR

Dayton Audio 6-1/2" Two-Way Speaker Pair

- Designed to disappear into the room
- 6-1/2" polypropylene woofer produces rich sound
- Clear and detailed 1" mylar dome tweeter
- Great power handling and sensitivity

Specifications: • Woofer: 6-1/2" polypropylene cone • Tweeter: 1" Mylar • Power handling: 60 watts RMS/85 watts max • Impedance: 8 ohms • Frequency response: 50-20,000 Hz • SPL: 89 dB 1W/1m • Dimensions: 12" H x 8-1/2" W x 3-1/2" D • Cutout size: 10-3/4" H x 7-1/4" W • Mfg. #CS620W • Sold in pairs.

#300-036 ..... $99.99 LIST Regularly $67.70 **$49.00** PAIR

Dayton Audio's ES8 Delivers More Bang Per Buck!

CLEARANCE

- High output, bass-reflex design
- Flared port for low port chuffing
- Adjustable crossover—40 to 140 Hz

Specifications: • 8" high-excursion woofer • 100 watt RMS amplifier • Frequency response: 30-180 Hz (-3 dB) Dimensions: 18-1/2" H x 13" W x 17" D (spiked feet and amplifier included).

#300-390 ..... $259.99 LIST Regularly $159.98 **$99.00** EACH

Dayton Audio HTS-1200B Home Theater Speakers

Dayton Audio's HTS-1200 will transform any room into a high-end home theater.



Speaker Specifications: • Power handling: 80 watts RMS/120 watts max • Impedance: 8 ohms • Frequency response: 100-20,000 Hz • SPL: 87 dB 1W/1m • Front/satellite speaker dimensions: 7-1/2" H x 4-1/2" W x 5-1/4" D. • Center channel dimensions: 4-1/2" H x 12-1/2" W x 6" D.

#300-680 ..... $149.99 LIST Regularly $115.07 **$99.00** EACH

Dayton Audio BS36 36" LCR Speaker Bar

- Great for LCD/plasma HDTV installations
- Gloss black lacquer finish
- Left-Center-Right on-wall speaker



#300-684 ..... $229.99 LIST Regularly $169.45 **$129.00** EACH

Allison Acoustics AL6CS 6-1/2" and AL8ICS 8" Stereo Ceiling Speakers

Last chance to save on these American Classics!

CLEARANCE

- High performance speakers placing both channels of sound in one location
- Legendary Allison Acoustics engineering and audiophile quality
- Engineered for long life and performance
- Kapton voice coil and bump-down back-plates
- Poly-switch protection network

Both channels of audio are combined into one location, replacing a conventional pair of stereo speakers with Allison Acoustics' stereo ceiling speakers. These are ideal for use in hallways, foyers and bathrooms. Each speaker contains a combined polymer cone woofer and two high performance polycarb tweeters that work together to deliver earth shaking lows and ozone reaching highs. Single unit frame construction and screw-foot pull down makes for an easy installation.

Specifications:

AL6CS: • Woofer: 6-1/2" co-polymer woofer • Tweeters: Dual 1" swivel polycarbonate tweeters • Power handling: 10 watts RMS/300 watts max • Impedance: 8 ohms • Frequency response: 35-22,000 Hz • Dimensions: 8-1/2" dia. • Cutout: 7-3/8" dia. • Sold individually.

AL8ICS: • Woofer: 8" co-polymer woofer • Tweeters: Dual 1" swivel polycarbonate tweeters • Power handling: 20 watts RMS/ l350 watts max • Impedance: 8 ohms • Frequency response: 32-22,000 Hz • Dimensions: 9-7/8" dia. • Cutout: 8-3/4" dia. • Sold individually.

#302-556 (AL6CS) ..... $179.00 LIST **$55.00** EACH

Compare to $130

#302-562 (AL8ICS) ..... $219.00 LIST **$59.00** EACH

Compare to $160

AudioSource PSW Front Firing Powered Subwoofers

AudioSource®

SPECIAL

- High-power low-distortion amplifiers (125W for PSW110, 175W for PSW112)
- Mineral-filled polypropylene subwoofers
- Front panel 40-200 Hz crossover controls and gain adjustment
- Removable feet for cabinet installation
- Signal sensing power on and 180° phase switches

#302-628 (PSW110 10") ... $259.99 LIST Regularly $159.98 **$99.00** EACH

#302-631 (PSW112 12") ... $299.99 LIST Regularly $199.98 **$149.00** EACH

Philips SPP4200WA/17 8-Outlet Home Theater Surge Protector

PHILIPS

$59.88 EACH #129-120

Compare To $136

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

Dayton Audio High-Speed CL3-Rated HDMI Cables

- Supports resolutions up to 1600p, refresh rates up to 120 Hz, and 48-bit deep color
- CL3-rated jacket for permanent in-wall installations
- ATC certified HDMI v1.3b Category 2 for speeds up to 340 MHz (10.2 Gbps)
- HDCP compliant and also supports Lip Sync audio/video synchronization

Part #	Mfg. #	Length	List Price	Regular Price	Special Price
181-770	HR13C20.5	0.5 m (1.6 ft.)	$6.99	$4.90	$3.00
181-772	HR13C21	1 m (3.3 ft.)	7.99	5.74	4.00
181-774	HR13C22	2 m (6.5 ft.)	9.99	7.67	6.00
181-776	HR13C23	3 m (9.8 ft.)	12.99	9.59	8.00
181-778	HR13C25	5 m (16.4 ft.)	17.99	13.83	10.00
181-782	HR13C210	10 m (32.8 ft.)	33.99	25.66	19.00

Dayton Audio LCDART302 Articulating LCD Monitor Mount

NEW

Features: • Up to 10" extension from wall • Supports up to 33 lbs. • Unobtrusive finish disappears behind the LCD TVs • Mounting hardware and instructions included • ±90°/±360° of pan and ±90° swivel adjustment • ±12° of tilt adjustment.

#182-388 .. $52.99 LIST **$40.22** (1-9) **$38.30** (10-UP)

Dayton Audio LCDART303 High Capacity LCD Monitor Mount

NEW

Features: • Supported VESA sizes: 50, 75, 100, 200 x 100 and 200 x 200 • Supports up to 55 lbs. • Up to 16" extension from wall • Unobtrusive finish disappears behind the LCD TV • Mounting hardware and instructions included • ±90°/±360° of pan and ±90° swivel adjustment • ±12° of tilt adjustment.

#182-390 ..... $65.99 LIST **$50.71** (1-9) **$48.29** (10-UP)

Dayton Audio LCDTVM109 Tilting LCD VESA Mount

NEW

Features: • Steel construction • Supports VESA sizes: 50, 75, 100 and 200 x 100 • Supports up to 50 lbs. • Unobtrusive finish disappears behind the LCD TVs • Mounting hardware and instructions included • ±43° of tilt adjustment.

#182-392 ..... $23.99 LIST **$18.08** (1-9) **$17.22** (10-UP)

HDMI 3-In 1-Out Automatic HDMI Switch

- Smart, automatic operation
- HDMI v1.3b compliant
- Category 2 speed rated at 10.2 Gbps data rate
- Small package for easy concealment
- Keyhole mounting slot built-in

SPECIAL

#180-610 ..... $64.99 LIST Regularly **$39.96** **$29.00** EACH

Boston Acoustics LCAi220 2 x 20W 2-Gang Local Amplifier

- 2 x 20W Class AB in-wall amplifier
- Phoenix-type speaker terminals
- Operates on 12-16 VDC with front and rear power inputs
- Built-in high pass and low pass filters

Compare to $299

$99.80 EACH
#309-040

X-Treem LCD/Plasma Wall Mount with Tilt 23"-46" Black

NEW

Features: • Televisions from 12"~46" • Weight: up to 110 lbs. • VESA: 75,100,200 • Extends 19" from wall • Rotates 180° monitor, 360° at mid-section, and 180° at wall • Quik-Fix mounting system.

#182-030 ..... $189.99 LIST **$139.65** (1-4) **$134.50** (5-UP)

X-Treem LCD/Plasma Wall Mount with Tilt 10-23" Black

Features: • Televisions from 10"-23" • Weight: up to 45 lbs. • VESA: 75-100 • Extends 11" from wall • Rotates 180° monitor, 360° at mid-section, and 180° at wall.

#182-032 ..... $79.99 LIST **$59.59** (1-4) **$57.75** (5-UP)

3-Port and 5-Port HDMI Auto Selectors with IR Control

NEW

- Auto, manual, and IR remote control operation
- Remote control and IR target included
- HDMI v1.3b compliant and speed rated at 2.5 Gbps
- Small form factor for easy concealment
- Also acts as HDMI amplifier supporting cables up 25 meters long

#180-585 (3-port) ..... $38.99 LIST **$29.90** (1-4) **$26.50** (5-UP)
#180-587 (5-port) ..... $58.99 LIST **$44.90** (1-4) **$41.50** (5-UP)

HDMI Cable 2m (6.6 ft.) ATC Certified v1.3

Don't settle for a second-rate HDMI cable that hasn't undergone ATC certification. This HDMI cable is guaranteed to pass high definition content up to 1080p at a price that's affordable.

SPECIAL

#181-725 ..... $16.99 LIST Regularly **$7.50** **$5.00** EACH

Dayton Audio DTA-1 15 Watt Class T Digital Amplifier

- Palm sized Class T 30 watt amp
- 4 ohm stable
- 88% efficiency
- Superior sound quality
- Soft turn-on eliminates annoying speaker pop

includes power supply

Don't let the compact size fool you, Dayton Audio's DTA-1 amplifier has the heart of a serious performer—up to 88% efficient while producing imaging, dynamics, and sound quality that rival esoteric tube amplifiers. Using the famous Tripath Class-T amplifier chip, the DTA-1 combines the audio fidelity of Class-AB amplifiers with the power efficiency of Class-D amplifiers.

Up to 15 watts of power per channel is on tap to push desktop and bookshelf speakers for the ultimate portable HiFi setup at home, dorm room, or in your office. For portability, the DTA-1 uses 8 AA batteries or the included switching power supply (with quick-release US and European style plugs). A rear mounted 3.5 mm (1/8") audio input and included 6 ft. 3.5 mm male-to-male cable make connection to MP3 players, PCs, and portable CD or DVD players a breeze.

Specifications: • Power output: 2 x 15 watts RMS (into 4 ohms @ 10% THD), 2 x 10 watts RMS (into 4 ohms @ 0.1% THD) • Efficiency: Greater than 88% • Dynamic range: 102 dB • Dimensions: 2" H x 6-1/8" W x 3-3/4" D.

#300-380 ..... $59.99 LIST **$44.80** (1-5) **$39.80** (6-UP)

Dayton Audio 6-1/2" 3-Way Indoor/Outdoor Speaker Pair

SPECIAL

- All-purpose 3-way speaker system
- Smooth rich sound
- Weather-resistant ABS cabinets
- Painted aluminum grills
- Includes "U" style brackets, mounting hardware and gold plated 5-way binding posts
- Dimensions: 12" H x 8-1/2" W x 7-1/2" D

#310-056 (Black)
#310-058 (White) ..... $164.99 LIST

Regularly **$126.30** **$99.00** PAIR

Rock Out!

Dayton Audio ROC8S 8" Rock Speaker



- Take the party outside
- 8" polypropylene woofer
- 1" polycarbonate tweeter
- Fiberglass enclosure with weather resistant finish
- Includes 18" direct-burial lead-out wire and weatherproof connectors

SPECIAL

Over 30% Off!

#310-045 ..... $129.99 LIST

Regularly **$98.72** **$69.00** EACH

Dayton Audio DAEX25 25 mm Sound Exciters

- Turn any solid surface into a great sounding speaker system
- Create a completely hidden surround sound system
- 3M adhesive pads for secure and fast placement
- Wideband frequency response (dependent on attached material)
- Sold in pairs

Specifications: • Power handling: 6W RMS • Impedance: 8 ohms • VCDIA: 1" • Dimensions: 3-1/2" dia. x 3/4".

#300-375 ..... $21.99 LIST **$16.90** (1-4) **$16.00** (5-UP)

Dayton Audio IO430 3-Way Speaker Pair

SPECIAL



- Superb hi-fi sound
- Two 4" polypropylene woofers with rubber surround
- 5/8" polycarbonate tweeter
- Custom piezo super-tweeter
- Built-in 8 ohm or 70V transformer with adjustable taps
- Sealed cabinet design prevents moisture penetration
- Mounting brackets and hardware included

#310-050 (White)
#310-052 (Black) ..... $199.00 LIST

Regularly **$147.50** **$99.00** PAIR

Super Summer Saver Blowout!

BUYOUT

Digital Timer 7-Day 7-Event with Single Power Outlet

$5.00 EACH
#189-082

Compare to $15

5-1/4" Outdoor Rock Speaker Pair



$49.00 PAIR
#309-220

Compare to $150

Terk Direct Burial Outdoor Speaker Wire 50 Ft.

TERK TECHNOLOGIES

$9.50 EACH
#109-060

Compare to $20

Intermatic Mechanical Indoor Timer

INTERMATIC

- Perfect for indoor lighting and holiday lighting
- Two programmable on/off events

$5.00 EACH
#189-086

Compare to $10

Mechanical Outdoor Timer with Photosensitive Control

- Automatically turns outdoor lights on at dusk, off at dawn
- Selectable power off of 2, 4, 6, or 8 hours after power on
- 1800W power rating (1000W Tungsten)

$14.50 EACH
#189-084

Compare to $25

INTERMATIC

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

Phono Jack Quiet Caps

- Over 60% off similar quality Cardas Caps
- Prevents noise and dust from entering your system through unused phono jacks

Set of 12

$19.98 SET
#099-020

Compare to $54

AudioSource Amp100 Power Amplifier

CLEARANCE

- 2 stereo inputs with automatic priority override
- A, B, or A+B speaker selector switches
- Manual or signal-sensing power-on

Specifications: • Output power: 50 watts RMS per channel @ 8 ohms, 60 watts RMS per channel @ 4 ohms, 160 watts RMS @ 8 ohms bridged mono • Frequency response: 20-20,000 Hz • Signal to noise ratio: 107 dB (A-weighted) • Dimensions: 16-1/2" W x 2-7/8" H x 9-1/4" D.



AudioSource®

#302-601 ..... $199.99 LIST

$99.98 EACH

RCA HP242 Sport Neckband Headphones

- Over-the-ear design for a snug fit
- Interchangeable color caps
- High output drivers



$5.90 EACH
#249-205

Compare to $16

Jensen JHB821 Ear Buds

- Includes three different sized ear pieces and storage pouch
- 9 mm drivers for crisp, articulate sound

$4.00 EACH
#249-240

Compare to $20

Jensen JCDP12 12 Capacity CD and Player Storage Case

- Holds up 12 CDs and a CD player
- Works great as a micro travel bag

$5.00 EACH
#249-200

Compare to $15

BUYOUT

Specials to Shout About!

TuneDok iPod® Car Holder

BELKIN.

- Designed for iPod® 3G, 4G, 5G and Classic
- Holds the iPod® securely in a flexible, non-scratch cradle with suction cup
- iPod® not included

$4.00 EACH
#139-002

Compare to $30

Belkin Power Stack Laptop Travel Power Adapter

- Compatible with most PC laptops with 17" or less screen
- USB power output for iPods, MP3 players, and cell phone powering on-the-go
- Integrated cord-wrap design
- Ready to go with automatic voltage, just plug in a tip!

$19.00 EACH
#139-010

Compare to $84

Belkin Folio Case for iPod Nano Black

- Case will hold any MP3 player or cell phone 3-3/4" H x 1-3/4" W x 7/16" D or smaller. 1-1/4" x 1" screen protector included.

$1.00 EACH
#139-004

Compare to $25

RCA RD1163 CD/DVD Scratch Repair Kit

Repairs damaged CDs and DVDs (even video game discs) you had otherwise given up on.

$3.50 EACH
#209-130

Compare to $15

Mini Headphones

SPECIAL

Standard mini stereo headphones for home stereo or Walkman type use. Disposable stereo headsets ideal for schools, hospitals, airlines, health spas and more.

#240-015 ..... Regularly $1.99

$1.49 EACH

Maxell Airline Headphone Adapter

Enjoy in-flight entertainment on your own personal headphones. This adapter converts the dual prong plug to a standard 3.5 mm stereo jack for use with any standard or noise canceling headphones.

$2.90 EACH
#249-025

Compare to $5

BELKIN

Stereo RCA Patch Cable

98¢ EACH
6 ft. #189-181

Compare to $3

PureAV Blue Series Component Video Cables

NOW! $7.88 EACH
12 ft. #189-189

Compare to $80

$19.50 EACH
30 ft. #189-187

Compare to $126

Belkin Digital Coaxial Cables

Part #	Length	Regular Price	Buyout Price
189-185	3 ft.	$7.00	$3.00
189-186	6 ft.	9.00	4.00

PureAV Blue Series Stereo Patch Cable

$4.50 EACH
6 ft. #189-180

Compare to $25

PureAV Composite Video Cable

$2.50 EACH
3 ft. #189-230

Compare to $10

Belkin Stereo RCA Patch Cable

98¢ EACH
6 ft. #189-184

Compare to $3

Belkin 26 ft. RGB Projector Cable Male VGA to 3 RCAs

Compare to $35

$9.80 EACH
26 ft. #189-232

- Superior analog HD video cable
- Rugged construction

Note: Consult your electronic component's manual to ensure support for this cable. For computer video card output compatibility, your VGA output must support Y/Pb/Pr component video.

Belkin ActiFlex Hands Free Cell Phone Headset

- Just in time for hands-free cell phone laws

Get legal for less!



$5.00 EACH
#139-012

Compare to $20

RCA

RCA Optical Cables

Part #	Length	Regular Price	Buyout Price
249-230	3 ft.	$6.80	$3.50
249-232	6 ft.	7.50	3.90

RCA Component Video with Optical Cable

$6.90 EACH
9 ft. #249-234

Compare to $20

Belkin AV Master Series 6 ft. Audio/Video Cable

$3.50 EACH
6 ft. #189-234

Compare to $18

Belkin Component Video Cables

#189-222

Part #	Length	Regular Price	Buyout Price
189-222	12 ft.	$18.80	$6.00
189-224	12 ft.	18.80	6.00

#189-224

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

AR AP18100N 18 AWG OFC Speaker Cable 100 ft. Spool

$9.80 EACH
100 ft. #109-063

Compare to $16

AR Flat Speaker Wire

- Hides underneath paint or wallpaper
- High current rating
- Low skin effect, wide-bandwidth design

Microflat speaker wire from Acoustic Research solves the common problem of unsightly speaker wire. Two solid 99.997% copper conductors are stretched wide to keep wire thickness at 0.5 mm thick making Microflat wire disappear under paint, wallpaper, behind a baseboard, or under carpet.

Part#	Effective AWG	Peak Power Rating	Length	List Price	Price Each	Buyout Price
099-057	18	800 watts	50 ft.	$79.99	$58.50	$25.00
099-058	16	1350 watts	50 ft.	159.99	83.00	35.00
099-059	16	1350 watts	100 ft.	249.99	115.00	58.00

AR PR220 12 AWG Speaker Wire Kit with Speaker Pins



$9.80 EACH
30 ft. #109-062

Compare to $30

AR AP306 Gold Speaker Pins 2 Red/2 Black

- Set-screw design accepts up to 12 AWG wire

$3.00 EACH
#099-050

Compare to $15

AR MS321 Masters Series 50 ft. 10 AWG Speaker Wire

$48.00 EACH
50 ft. #109-064

Compare to $110

AR MS805 Master Series Flexible Speaker Tips x 4



$5.00 EACH
#099-056

Compare to $21

100 ft. Roll of CL2 Rated 14 AWG High-Strand OFC Speaker Wire

$19.90 EACH
#109-160



Compare to $40

100 ft. Roll of 18 AWG Speaker Wire

$7.50 EACH
#109-165

Compare to $13



BELKIN® BUYOUT

SUPER SAVERS!

PureAV Blue Series 18 AWG Speaker Wire with Speaker Pins

Your Choice! $2.50 EACH

Part #	Length	Color	Regular Price	Buyout Price
109-040	25 ft.	Clear	$7.50	$2.50
109-042	25 ft.	White	7.50	2.50

PRO Series 16 AWG Bulk Speaker Wire

$3.00 EACH
50 ft. #109-044

Compare to $13

PRO Series 16 AWG Speaker Wire with Speaker Pins

$4.00 EACH
25 ft. #109-048

Compare to $13

RG-59 Coaching Cable with F-Connectors

BUYOUT

High-quality RG-59 coaxial cable with pre-installed F-connectors. Factory buyout—limited availability!

Part #	Length	Color	Regular Price	Buyout Price
189-152	3 ft.	White	$ .90	$ .39
189-153	6 ft.	White	1.05	.49
189-156	3 ft.	Black	.90	.60
189-158	25 ft.	Black	1.80	1.00



VGA + 3.5 mm Stereo Audio Male to Male Cables

- Triple shielded design
- High definition PC video and stereo audio over a single cable
- CL2 rated for in-wall use on 10 ft., 15 ft., 25 ft., 35 ft., and 50 ft. lengths

NEW

Part #	Length	CL2 Rated	List Price	Price (1-3)	Price (4-UP)
180-280	3 ft.	No	$14.99	$5.56	$5.00
180-281	6 ft.	No	19.99	8.06	7.25
180-282	10 ft.	Yes	24.99	10.85	9.76
180-283	15 ft.	Yes	29.99	10.42	9.38
180-284	25 ft.	Yes	34.99	19.81	17.83
180-285	35 ft.	Yes	39.99	20.84	18.76
180-286	50 ft.	Yes	49.99	27.20	24.48

25 ft. Modular Telephone Line Cord with RJ11 4C Connectors

A Real Deal!



Part #	Length	Color	Regular Price	Buyout Price
159-012	25 ft.	Gray	$2.90	$ .88
159-013	25 ft.	Black	2.90	.88

Wall Plates

RCA Quality at a Buyout Price

RCA

RCA brand premium quality plastic wall plate for audio/video cable installations. Factory buyout—limited availability!



28¢ EACH #189-162 — *Compare to $3*

38¢ EACH #189-166 — *Compare to $4*

38¢ EACH #189-164 — *Compare to $5*

8 ft. RG-6 Coaxial Cable with Male to Male F-Connectors

88¢ EACH #189-210

Compare to $5

Philips Magnavox RG-6 Coaxial Cable Spool of 250 ft.

$12.00 EACH #109-032

Compare to $30

Motorola 14 VDC 360 mA AC Adapter

$1.88 EACH #129-332

Compare to $10

Holland 2-Way RF Splitter with Two 4.75" Coaxial Cables

- Improved performance with cable modems
- Works with digital cable and off-air HDTV signals

$1.50 EACH #189-202

Compare to $4

Overstock Special!

OVER 50% OFF!

Wired Home Telephone Distribution Hub

$10.00 EACH #182-808



Wired Home VGA + 3.5 mm Stereo Wall Plate Insert

NEW

parts-express.com

Check out the new Wired Home A/V wall plate inserts at parts-express.com. Too many to list! Use search term: **wired home wall plate** *to see them all.*

Wired Home Wall Plate | Search

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

BELKIN BUYOUT

USB/Mini USB Charging Kit

- Includes a 100-240 VAC to USB power adapter and cigarette lighter to USB adapter
- Safely charges the Creative ZEN V, ZEN V Plus, ZEN MicroPhoto, and other USB devices

$5.00 EACH
#139-006

Compare to $35

Intermatic HB12RC Wireless Remote Controlled Power Switch

INTERMATIC

- Remotely control device power up to 50 ft. away
- RF remote design works through walls without line of sight
- FCC, UL, and cUL approved
- Water resistant shell

Note: Outlet section of switch must be mounted with power outlet facing down.

$12.00 EACH
#189-090

Compare to $25

8 ft. Mickey Mouse Type Grounded AC Power Cord

Replace your lost or damaged laptop power cable with this 8 ft. mickey mouse type AC power cord.

$1.25 EACH
#119-014

Compare to $5

USB Wall Charger 1000 mA

NEW

Charge cell phones and MP3 players without a computer!

#130-236 ..... $9.99 LIST $4.48 EACH

USB to Bluetooth Adapter

- Class 2 Bluetooth to USB performance—20 meter operating range
- Drivers and Bluetooth software included

See parts-express.com for minimum system requirements.

#130-231 ..... $19.99 LIST $9.68 EACH

USB A Male to 5-Pin Micro USB Male Cables

USB A to micro USB B 5-pin cables provide one USB A male connector and one micro USB B connector to create a simple way to connect mobile devices to a USB capable computer. Compatible with Motorola RAZR V8,V9m, V9, Q9, Q9h, Q Global. Great replacement for the original Motorola SKN6238 cable.

NEW

#130-560 (1.5 ft.) ..... $4.99 LIST $2.88 EACH
#130-566 (10 ft.) ..... $9.99 LIST $5.89 EACH
#130-568 (15 ft.) ..... $14.99 LIST $8.11 EACH

SUPER SAVINGS!

BELKIN BUYOUT

Belkin...the global leader in connectivity solutions.

CAT 6 Snagless Patch Cable

$7.18 EACH
50 ft. #109-541

Compare to $28

Fast Cat 5e Snagless Patch Cable

$4.88 EACH
50 ft. #109-570

Compare to $28

CAT 5e Snagless Patch Cable

$1.98 EACH
14 ft. #109-455

Compare to $20

Fast Cat 5e Snagless Patch Cable

98¢ EACH
7 ft. #109-308

Compare to $18

Fast Cat 5e Snagless Patch Cable

$4.88 EACH
50 ft. #109-522

Compare to $28

Fast Cat 5e Snagless Patch Cable

$1.98 EACH
14 ft. #109-456

Compare to $20

Fast Cat 5e Snagless Patch Cable

98¢ EACH
7 ft. #109-306

Compare to $18

Car Charger for 30 GB Zune

NEW

Note: Designed to work only with 30 gigabyte Microsoft Zune.

#181-220.. $9.99 LIST **$5.96** EACH

Wall Charger for 30 GB Zune

Note: Designed to work only with 30 gigabyte Microsoft Zune.



#181-222.. $9.99 LIST **$6.08** EACH

Car Charger for Sansa E200 and E200R

Note: Designed to work only with Sandisk Sansa E200 and E200R.

#181-230..... $9.99 LIST **$4.33** EACH

Wall Charger for Sansa E200/E200R/C200

Note: Designed to work only with Sandisk Sansa E200, E200R, and C200.



#181-232..... $14.99 LIST **$5.14** EACH

Retractable USB Sync Cable

For Sansa E-Series Media Players

#181-234..... $14.99 LIST **$6.00** EACH

Wireless Wii IR Sensor Bar

- Wireless design for remote Wii placement

#181-151..... $29.99 LIST **$14.78** EACH

Wii Console Dock with Fan, Dual Charging Docks, and NiMH Battery Packs

NEW

- Blue light fancy lamp
- Keeps remotes ready to go
- Console dock with cooler, charging stations, batteries and battery covers included
- Charging status indication

Note: Wii skins must be removed for proper remote storage and charging.



#181-141..... $49.99 LIST **$29.68** EACH

Two Wired 4-In-1 Video Game Microphones for Wii, Xbox 360, and PS2/PS3

- Dual microphone kit for video game consoles
- Compatible with PS2/PS3, Wii, and Xbox 360

Two singers are better than one! Add a background singer to your band for Rockband, Rockband 2, Singstar, Boogie, and Guitar Hero World Tour on your Wii, PS2/PS3, or Xbox 360.

NEW

#181-135.... $49.99 LIST **$29.46** EACH

Belkin AC/USB Charging Kit for Samsung K5 & T9 and USB

BELKIN.

BUYOUT

$5.00 EACH

#139-014

Compare to $40

Car Charger for iPhone 3G/ iTouch/4th Gen. iPods

Note: Designed to work only with 3G iPhone, 2nd generation iTouch, and 4th generation iPods.

#181-180..... $9.99 LIST **$4.76** EACH

Nintendo DS/DS Lite Car Charger

Note: Will not work with Mini USB B ports.

#181-164..... $14.99 LIST **$5.63** EACH

Nintendo DS/DS Lite Wall Charger

#181-166..... $19.99 LIST **$8.53** EACH

Wii 22-In-1 Olympic Sports Kit

NEW

Kit includes:

- 1 Golf club
- 1 Baseball bat
- 1 Ping Pong paddle
- 1 Tennis racket
- 1 Remote analog control converter (for fighting games)
- 6 Analog control buttons
- 1 Billiards cue/ fishing pole/ sword (three pieces)
- 1 Wii remote sports grip
- 1 Wii nunchuk sports grip
- 2 Wii console dust covers
- 2 Rubberized Wii remote battery covers (one blue, one black)
- 2 Wii remote wrist straps
- 1 Wii remote pistol grip

#181-145..... $59.99 LIST **$34.96** EACH

Wii Billiards Pool Cue Kit

NEW

Bring billiards games to life on the Nintendo Wii® with this 26" long billards/pool cue.



#181-153..... $19.99 LIST **$9.87** EACH

Acrylic Hard Skins for iPhone and iTouch

#181-190 (Smoke)
#181-191 (Clear)
#181-192 (Green)
#181-193 (Pink)
#181-194 (Blue) ... $14.99 LIST **$3.66** EACH

Silicone Soft Skin for iPhone and iTouch

#181-200 (Black)
#181-201 (Smoke)
#181-202 (Clear)
#181-203 (Green)
#181-204 (Pink)
#181-205 (Blue) ..... $9.99 LIST **$3.48** EACH

Screen Protector for iPhone and iTouch

- Anti-glare design improves visual clarity

#181-210..... $4.99 LIST **$2.64** EACH

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

Stahl Tools Variable Temperature Soldering Station

NEW

- On/off switch with "power-on" indicator light
- Variable heat setting
- Cushioned rubber grip
- Replaceable heating element
- Quality performance at a discount price

The Stahl Tools variable temperature soldering station is designed to exceed the expectations of a veteran technician—at a price that's appealing to the electronics hobbyist. Many different soldering tasks are accomplished using the adjustable 5 to 40 watt temperature adjustment. The lightweight pencil iron features a rubber grip that reduces fatigue and a Bakelite ringed iron holder keeps it at the ready. A field replaceable, precision ground, iron-plated solid copper tip provides maximum heat transfer—minimizing cold solder joints. Includes tip cleaning sponge.

#374-100 ..... $19.99 LIST **$14.98** (1-4) **$14.24** (5-UP)

Stahl Tools 4-Piece Soldering Tip Kit

#374-102 ..... $6.99 LIST **$4.95** (1-4) **$4.74** (5-UP)

12 VDC 12" Cold Cathode Light Kits

NEW

- Easily add low heat lighting to PC cases, cabinets, and cars
- 12 VDC to 680 VAC power inverter included
- 4-pin Molex PC power connectors with power pass through included
- CCFL dimensions : 3/8" dia. x 12" L.

Part #	Description	List Price	Price Each
130-250	Blue single lamp kit	$14.99	$6.76
130-251	Green single lamp kit	14.99	6.76
130-252	Red dual lamp kit	19.99	9.87

115V 4-1/2" Sleeve Bearing Fan

SPECIAL

- Popular 115 VAC fan
- Sleeve bearing construction
- Dimensions: 4-5/8" x 4-5/8" x 1-1/2"
- Rugged metal housing

#259-150 ..... Regularly $12.80 **$9.00** EACH

Huge new line of electro-mechanical switches. Over 150 models!

NEW

Check out our new line of switches at parts-express.com.

Mini Digital Sound Level Meter

- One-button operation
- 31.5-8,000 Hz frequency range
- A-weighted SPL scale
- Large 3/4" backlit LCD display
- Includes 9V battery and windscreen
- Auto power off
- Threaded insert for standard tripod mount

Introductory Special!

SPECIAL

Mini digital sound level meter measures from 40 dB to 130 dB and is less than 6" in length! Great for measuring and monitoring noise and sound in any environment, including in the work place, auto sound environments, and home theater rooms. Features MIN/MAX measurement ability with hold and auto power-off function to ensure long battery life. Includes 9V battery and removable wind screen. Frequency range: 31.5 Hz to 8 kHz.

#390-722 ..... $38.99 LIST Regularly **$29.84** **$19.88** EACH

CAIG LABORATORIES, INC.

NEW

CAIG Laboratories offers an extensive array of cleaners, lubricants, enhancers, preservatives, and accessories for electronic, electrical and mechanical applications. CAIG's familiar and trusted DeoxIT® products are environmentally safe and CAIG is constantly developing new products and applicators.

#341-258 #341-259 #341-260 #341-261 #341-262 #341-264

#341-265 #341-266 #341-269 #341-274 #341-275 #341-276

Part #	Description	List Price	Price Each
341-258	Duster spray 10 oz.	$6.99	$4.76
341-259	Non-flammable duster spray 10 oz.	9.99	6.10
341-260	Contact cleaner 10 oz.	9.99	7.96
341-261	Degreaser 10 oz.	9.99	7.96
341-262	Flux Wash 10 oz.	9.99	7.96
341-264	WorkStation cleaner 30 clothes	7.99	5.20
341-263	WorkStation cleaner 100 clothes	9.99	7.48
341-265	Screen cleaner 22 oz.	12.99	9.96
341-266	Screen cleaner kit 2 oz.	12.99	9.96
341-269	DeoxIT wipes 25 count	14.99	12.52
341-270	DeoxIT wipes 50 count	29.99	22.98
341-274	DeoxIT emergency survival kit	29.99	22.98
341-275	DeoxIT audio/video survival kit	34.99	29.98
341-276	DeoxIT computer survival ki	34.99	29.98

Power Sentry 2200VA UPS

BUYOUT

Hurry, quantities won't last! Take advantage of this great buyout today!

Compare to $250

We've purchased a limited quantity of these heavy-duty Power Sentry UPS Systems (Uninterruptable Power Supply) made for a large name brand OEM whom we can't mention. They were manufactured around 3 years ago and have been stored in a warehouse since then. Typical SLA batteries have a shelf life of 5 years, so the batteries in these units should have a few good years left. We guaranteed that they will work for 90 days and provide you with surge protection and backup power for your home A/V, computer, or other electronic devices! Some units may come with extremely small, nearly unnoticeable blemishes-we could barely see them ourselves. We dare you to compare-you'll find that prices elsewhere on similar units go for well over $200! We found a nearly identical unit on newegg.com for $234.99 (item # KIN-2200AP). Hurry, quantities won't last! Take advantage of this great buy-out today! If you're a company or entrepreneur, you most likely have resorted to the Internet to take care of business; however, once your Internet connection is interrupted due to problems of power or storms, you may suffer a loss of data or equipment damage. Though a network cannot be guaranteed from being failure-proof, a relatively small investment in a UPS will provide you with the peace of mind knowing that your critical appliances are operating with constancy, security, and stability. There's no better time to invest in a UPS System.

Specifications: • 2200VA/1320W Capacity • Automatic Voltage Regulation (AVR) • 230 Joule Spike Protection • Overload & Short Circuit Protection • EMI/RFI filter.

For complete specifications visit parts-express.com

Neodymium Magnets

Ideal for experimentation, science fair projects, alternative medical purposes, hanging up your kid's pictures on the fridge, but above all that, they're just plain fun to play with.

NEW

Part #	Type	Dimensions	Price (1-9)	Price (10-99)	Price (100-UP)
320-010	Disc	1/8" dia. x 1/16" thick	$.40	$.38	$.28
320-012	Disc	1/4" dia. x 1/8" thick	.65	.58	.48
320-014	Disc	1/4" dia. x 3/16" thick	.75	.68	.58
320-016	Disc	3/8" dia. x 3/16" thick	1.25	1.15	1.05
320-018	Disc	1/2" dia. x 1/16" thick	.95	.88	.78
320-020	Disc	3/4" dia. x 3/32" thick	1.80	1.65	1.58
320-022	Ring	1/2" OD x 1/8" thick	1.50	1.42	1.38
320-024	Ring	3/8" OD x 1/16" thick	.65	.58	.48
320-026	Bar	1/4" x 1/4" x 1/8" thick	.65	.58	.48
320-028	Bar	1/2" x 1/8" x 1/4" thick	1.25	1.15	1.05
320-030	Bar	1" x 1/4" x 1/4" thick	2.45	2.25	2.10
320-032	Ball	1/4" diameter	1.10	.98	.85
320-034	Ball	3/8" diameter	1.90	1.75	1.68
320-036	Ball	1/2" diameter	2.75	2.60	2.42

110 VAC Standard Socket LED Light Bulb

- Features 18 super bright white LEDs
- Long lasting LEDs save you money when compared to incandescent bulbs
- Low power 2 watt consumption
- Works with any standard light fixture

Compare to $30.00

Ultra-Bright LEDs NEW

Choose from a wide variety of colors and sizes. Each LED features a clear lens.

Part #	Color	Luminous Intensity	DC Voltage Forward	Continuous Foward Current (mA)	Viewing Angle	Price (1-9)	Price (10-99)	Price (100-UP)
Ultra-Bright 3 mm LEDs								
070-520	White	3000 mcd	3.6 ~ 4.0	20	30°	$1.48	$1.38	$1.28
070-521	Red	5000 mcd	2.1 ~ 2.5	20	30°	.98	.88	.84
070-522	Orange	3200 mcd	2.2 ~ 2.7	20	14°	.58	.54	.48
070-523	Yellow	4500 mcd	2.2 ~ 2.5	20	45°	.98	.88	.84
070-524	Green	4500 mcd	3.6 ~ 4.0	20	18°	1.48	1.38	1.28
070-525	Blue	2000 mcd	3.6 ~ 4.0	20	30°	1.48	1.38	1.28
070-526	Aqua	4000 mcd	3.6 ~ 4.0	20	18°	1.48	1.38	1.28

Part #	Color	Luminous Intensity	DC Voltage Forward	Continuous Foward Current (mA)	Viewing Angle	Price (1-9)	Price (10-99)	Price (100-UP)
Ultra-Bright 5 mm LEDs								
070-500	White	5000 mcd	3.5 ~ 4.0	20	20°	$.98	$.88	$.84
070-501	Red	5000 mcd	2.0 ~ 2.5	50	15°	.58	.54	.48
070-502	Orange	5000 mcd	2.2 ~ 2.6	20	15°	.58	.54	.48
070-503	Yellow	5000 mcd	2.4 ~ 3.0	20	30°	.98	.88	.84
070-504	Green	5000 mcd	3.5 ~ 4.0	30	23°	.98	.88	.84
070-505	Blue	5500 mcd	3.5 ~ 4.0	20	15°	1.48	1.38	1.28
070-506	Violet	1000 mcd	3.6 ~ 4.0	20	15°	2.48	2.28	2.18
070-507	Ultraviolet (UV)	20 mW	3.5 ~ 4.0	30	30°	2.48	2.28	2.18
070-508	Infrared (IR)	27 mW	1.2 ~ 1.6	20	30°	1.98	1.88	1.78
070-509	Tri-color RGB	Varies by color	Varies by color	Varies by color	15°	2.48	2.28	2.18

Part #	Color	Luminous Intensity	DC Voltage Forward	Continuous Foward Current (mA)	Viewing Angle	Price (1-9)	Price (10-99)	Price (100-UP)
Super Ultra-Bright 5 mm LEDs								
070-540	White	18000 mcd	3.4 ~ 4.0	30	30°	$1.98	$1.88	$1.78
070-541	Red	12000 mcd	2.0 ~ 2.4	50	8°	.98	.88	.84
070-542	Yellow	10000 mcd	2.2 ~ 2.5	50	8°	.98	.88	.84
070-543	Green	13000 mcd	3.5 ~ 4.0	30	8°	1.98	1.88	1.78
070-544	Aqua	9000 mcd	3.6 ~ 4.0	20	18°	.98	.88	.84

Part #	Color	Luminous Intensity	DC Voltage Forward	Continuous Foward Current (mA)	Viewing Angle	Price (1-9)	Price (10-99)	Price (100-UP)
Bright Blinking 5 mm LEDs								
070-560	RGB	Varies	2.1 ~ 4.2	40	30°	$3.48	$3.28	$3.08
070-561	Red/blue	2000 mcd	3.0 ~ 10.0	30	20°	3.48	3.28	3.08
070-562	White	1500 mcd	3.0 ~ 10.0	30	20°	3.48	3.28	3.08
070-563	Blue	3000 mcd	3.0 ~ 10.0	30	20°	3.48	3.28	3.08
070-564	Red	2000 mcd	3.0 ~ 10.0	35	20°	1.48	1.28	1.08

DIY

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

TRITRIX MTM SPEAKER PROJECT

TriTrix Cabinet Kit

These knock-down TriTrix MTM transmission line (TL) cabinets save you time and money. Precision CNC cuts offer accuracy comparable to the craftsmanship of a master woodworker, maybe even better! 3/4" MDF construction ensures maximally damped enclosures to prevent annoying resonances that color the sound. Cabinets ship unassembled, but are simple, quick, and easy to assemble. Wood screws and T-nuts included. Free shipping for continental US customers. Sold in pairs.

"For $98, this kit is a steal!"
- Hez from Dallas, TX



$98.00 PAIR
#300-701

Parts List

Part #	Description	Qty.
275-075	Dayton Audio DC28FS-8 shielded silk dome tweeter	2
295-302	Dayton Audio DC130BS-4 classic shielded woofer	4
266-836	2.50mH 18 AWG air core inductor	2
266-818	0.60mH 18 AWG air core inductor	2
027-428	Dayton Audio DMPC-10 10uF-250V polypropylene cap	2
027-436	Dayton Audio DMPC-20 20uF-250V polypropylene cap	2
004-2.4	Dayton Audio DNR-2.4 ohm 10W resistor	2
091-1154	Gold binding post pair	2
260-317	Acousta-Stuf Polyfill 1 lb. bag	2

TriTrix Component Kit

$119.99 EACH
#300-700

"Nice kit!"
- Shawn from KY

The TriTrix MTM speaker design is hailed by DIYers as one of the best reasons to build your own! Parts Express takes this design one step further in the form of the TriTrix RD Recession Destroyer kit. Everything you need to build a pair of the renowned TriTrix MTM speakers is included, except cabinets. Over $200 worth of components has been discounted to almost HALF of the original combined price!

"Outstanding buy!"
- Dominick from Phoenix, AZ

Look For Us On YouTube!

Visit the Parts Express YouTube Channel for a step-by-step video on how to build the TriTrix Speaker Cabinets! It's fast, it's free and it's easy!

YouTube Broadcast Yourself™

DC28FS-8 Tweeter
#275-075

DC130BS-4 Woofer
#295-302

About the Designer

Curt Campbell has been a music enthusiast all of his life, including live performance as a trained musician. His fascination with electronics and speaker building started early with building up some oddball project or other, usually with parts pilfered from other equipment. Curt's additional hobbies include woodworking, photography, and—along with keeping the family's vehicles running—rebuilding old sports cars. He enjoys his career in commercial aviation, where he supports and diagnoses avionics systems in corporate aircraft. His current speaker building passion is crossover design, and numerous projects on the PE Project Showcase and his own website feature his crossover work.

Dayton Audio RS52AN-8 2" Aluminum Dome Midrange

- Large damped rear chamber for low resonance point
- 2" Aluminum diaphragm for good clarity and dispersion
- Neodymium magnet minimizes stray magnetic field
- Copper clad motor reduces distortion for transparent sound

BEST SELLER

Specifications: Power handling: 60 watts RMS/90 watts max • VCDIA: 2" • Impedance: 8 ohms • Re: 5.4 ohms • Frequency range: 500-7,000 Hz • Fs: 325 Hz • SPL: 91 dB 2.83V/1m • Dimensions: A: 5-1/8", B: 4-1/8", C: 2-1/8".

#285-020.....$53.99 LIST **$40.78** (1-3) **$38.83** (4-UP)

Dayton Audio ND28F-6 1-1/8" Dome Neodymium Tweeter

- Rear-mount design minimizes housing size
- Center-to-center spacing as low as 2-1/2"
- Great top-end air and sparkle

Specifications: • Power handling: 30 watts RMS/60 watts max • VCDIA: 1" • Impedance: 6 ohms • Re: 5.4 ohms • Frequency range: 2,200 - 20,000 Hz • Fs: 1,100 Hz • SPL: 88 dB 2.83V/1m • Dimensions: A: 2-1/2", B: 1-3/4", C: 1-1/8".

SPECIAL

#275-040..... $25.99 LIST Regularly **$19.80** **$15.00** EACH

Dayton Audio RS150T-8 6" Truncated Frame Woofer

- Truncated cast frame
- Perfect for line arrays

SPECIAL

Specifications: • Power handling: 40 watts RMS/65 watts max • VCDIA: 1" • Le: .74 mH • Znom: 8 ohms • Re: 5.6 ohms • Frequency range: 55-3,500 Hz • Fs: 59 Hz • SPL: 87.6 dB 2.83V/1m • VAS: .50 cu. ft. • QMS: 2.87 • QES: .62 • QTS: .51 • XMAX: 4 mm • Dimensions: A: 5-15/16", B: 4-13/16", C: 3-1/4".

#295-342..... $43.99 LIST Regularly **$33.16** **$28.00** EACH

Get In Line!

NEW

#266-446

Convenient crossovers that work great in any application requiring economical, flexible filtering. Low pass, band pass, and high pass models complement woofers, midranges, and tweeters. The crossovers' compact size facilitates mounting virtually anywhere you desire. Approximately 250 watts RMS.

Part #	Type	Imp.	Crossover Frequency	Roll Off	List Price	Price Each
266-440	Low pass	4 ohm	80 Hz	12 dB	$22.99	$16.17
266-442	Low pass	8 ohm	80 Hz	12 dB	22.99	16.38
266-444	Low pass	4 ohm	100 Hz	12 dB	23.99	16.70
266-446	Low pass	8 ohm	100 Hz	12 dB	24.99	17.43
266-448	Low pass	4 ohm	800 Hz	12 dB	12.99	8.82
266-450	Low pass	8 ohm	800 Hz	12 dB	12.99	8.87
266-452	Band pass	4 ohm	800 Hz-5 kHz	6 dB	7.99	5.51
266-454	Band pass	8 ohm	800 Hz-5 kHz	6 dB	7.99	5.46
266-456	High pass	4 ohm	80 Hz	12 dB	21.99	15.65
266-458	High pass	8 ohm	80 Hz	12 dB	20.99	14.57
266-460	High pass	4 ohm	100 Hz	12 dB	21.99	15.17
266-462	High pass	8 ohm	100 Hz	12 dB	20.99	14.54
266-464	High pass	4 ohm	300 Hz	12 dB	14.99	10.11
266-466	High pass	4 ohm	600 Hz	12 dB	12.99	8.82
266-468	High pass	4 ohm	800 Hz	12 dB	12.99	8.90
266-470	High pass	8 ohm	800 Hz	12 dB	12.99	9.14
266-472	High pass	4 ohm	5 kHz	12 dB	7.99	5.49
266-474	High pass	8 ohm	5 kHz	12 dB	7.99	5.46

Dayton Audio Premium Binding Posts

SPECIAL

These high-quality 5-way binding posts offer audiophile features at a reasonable price. Choose from a fully insulated or standard design. Both models feature a free-spinning metal ferrule on the tightening knob, which allows a secure connection without any tendency to work loose. The cabinet ends are terminated with .250" male disconnect-style tabs that allow the use of standard female disconnects and also heat quickly for direct soldering. These work with the Dayton binding post plates or any cabinet panel with a keyed 11.5 mm hole; 25 mm thread length. Sold in red/black pairs.

#091-620

#091-622

#091-624

#091-630

#091-632

Part #	Mfg. #	Type	Finish	List Price	Regular Price	Special Price
091-620	BPP-G	Non-insulated	Gold	$20.99	$15.82	$13.00
091-622	BPP-NI	Non-insulated	Polished Nickel	20.99	15.82	13.00
091-624	BPP-SN	Non-insulated	Satin Nickel	20.99	15.82	13.00
091-630	BPFI-G	Insulated	Gold	20.99	15.96	13.00
091-632	BPFI-NI	Insulated	Polished Nickel	20.99	15.96	13.00

Dayton Audio Binding Post Plates

SPECIAL

Looking for a higher-performance alternative to standard terminal cups? The Dayton binding post plates are the answer. Made from .110" brushed aluminum, they are available with silver or black anodized finishes. A pre-installed gasket and beveled outside edge allow easy installation without requiring time-consuming recesses. Designed to work with your choice of Dayton premium binding posts.

Specifications: Single plate: Overall dimensions: 4" W x 4" H, maximum cutout: 3" W x 3" H, hole spacing: 30 mm. Double plate: Overall dimensions: 4" W x 5-1/2" H, maximum cutout: 2-3/4" W x 4-1/2" H, hole spacing: 30 mm x 50 mm. Triple plate: Overall dimensions: 4" W x 5-1/2" H, maximum cutout: 2-3/4" W x 4-1/2" H, hole spacing: 30 mm x 50 mm.

Part #	Mfg. #	Type	Finish	List Price	Regular Price	Special Price
091-600	SBPP-SI	Single	Silver	$12.99	$9.45	$8.00
091-602	SBPP-BK	Single	Black	12.99	9.45	8.00
091-610	DBPP-SI	Double	Silver	16.99	12.18	10.00
091-612	DBPP-BK	Double	Black	16.99	12.18	10.00
NEW!						
091-616	TBPP-SI	Triple	Silver	17.99	12.76	10.00
091-618	TBPP-BK	Triple	Black	17.99	12.76	10.00

Dayton Audio Dual Binding Post Jumpers

SPECIAL



If you are using the Dayton Audio double binding post plates, these jumpers are a must! They allow your speakers to be easily changed between bi-wire, bi-amp, or single input configurations. Designed to work with either the premium or fully insulated binding posts and the Dayton double binding post plates. Available in gold, polished nickel, or satin nickel finishes.

Part #	Mfg. #	Finish	List Price	Price Regular	Special Price
091-650	PJMP-G	Gold	$8.99	$6.17	$4.00
091-652	PJMP-NI	Polished Nickel	8.99	6.17	4.00
091-654	PJMP-SN	Satin Nickel	8.99	6.17	4.00

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

BUYOUT

Use 16 Per Side for a Fantastic Compact Line Array!



- Neodymium magnet
- Anodized aluminum cone
- Gray rubber surround
- Flat spider
- Stamped steel frame
- 5" wire lead with connector
- 1" voice coil
- 1.5 mm X_{MAX}

Full range 2" driver with 1" voice coil and aluminum cone. Conservative 5 watt power rating. Perfect for compact speaker projects or line arrays.

Specifications: • Power handling: 5 watts RMS/10 watts max • VC_{DIA}: 1" • Le: 0.18 mH • Impedance: 8 ohms • Re: 7.57 ohms • Frequency response: 147-14,000 Hz • Fs: 147 Hz • SPL: 82.6 dB 1W/1m • V_{AS}: 0.011 cu. ft. • Q_{MS}: 2.42 • Q_{ES}: 0.84 • Q_{TS}: 0.62 • X_{MAX}: 1.5 mm • Dimensions: A: 2-1/4" (2-7/8" diagonally ear-to-ear), B: 2-1/16", C: 1-1/4".

$2.00 (100-UP) #289-124

Compare to $10

#289-124 ..... $3.80 (1-34) $3.00 (35-99)

1" Soft Dome Tweeter 4 Ohm

- Soft dome material provides smooth response
- Plastic faceplate with foam anti-diffraction ring
- Waveguide-loaded for wide dispersion
- Great for 3-way or compact 2-way designs

Similar to Philips/Norelco/Amperex tweeters from the early 1980s. 4 ohm impedance. Buyout, limited quantities.

Specifications: • Power handling: 30 watts RMS/60 watts max • VC_{DIA}: 1" • Le: 0.03mH • Impedance: 4 ohms • Re: 2.92 ohms • Frequency range: 2,500-20,000 Hz • Magnet weight: 8 oz. • Fs: 2,500 Hz • SPL: 91 dB 2.8V/1m • Dimensions: A: 3-1/8", B: 3", C: 1-1/8".

$4.97 (10-UP) #279-410

Compare to $15

#279-410 ..... $6.87 (1-9)

Peerless India K225 2" Cone Tweeter 4 Ohm

- Classic design used in famous systems from the 70s and 80s
- Low-mass paper cone with damped edge
- 1/2" voice coil on aluminum former achieves amazing high-end sparkle
- High-strength ceramic magnet
- Perfect for replacement and restoration as well as new projects

Later version of a popular cone tweeter used by major manufacturers in the Seventies and Eighties, like EV, KLH, Design Acoustics, McIntosh, and many more. Ultra-thin aluminum center dome extends response to 20 kHz. 4 ohm impedance. Buyout, limited quantities.

Specifications: • Power handling: 5 watts RMS/10 watts max • VC_{DIA}: 1/2" • Le: 0.05 mH • Impedance: 4 ohms • Re: 3.05 ohms • Frequency range: 2,500-20,000 Hz • Magnet weight: 1.5 oz. • Fs: 1,460 Hz • SPL: 91 dB 2.8V/1m • Dimensions: A: 3-1/8", B: 3", C: 1-1/8".

98¢ (10-UP) #279-405

Compare to $8

#279-405 ..... $1.97 (1-9)

ALESIS

Alesis 1" Shielded Soft Dome Tweeter



- 1" treated fabric dome
- Fully shielded design
- Horn loaded faceplate for high efficiency

Specifications: • Power handling: 40 watts RMS/80 watts max • VC_{DIA}: 1" • Impedance: 4 ohms • Re: 3.0 ohms • Frequency range: 3,000-20,000 Hz • Fs: 1,500 Hz • SPL: 93 dB 1W/1m • Dimensions: A: 3-3/4", B: 3", C: 1-3/4".

$10.00 EACH #279-140

Compare to $35

TB SPEAKERS

Tang Band 13-1264SA 1/2" Fabric Dome Tweeter

Low-cost tweeter with great top octave extension without the typical mylar dome sizzle. Great as a replacement for stock tweeters or for use in inexpensive multimedia systems. Solder pad terminal connections.

Specifications: • Power handling: 20 watts RMS/50 watts max • VC_{DIA}: 1/2" • Impedance: 8 ohms • Re: 7.0 ohms • Frequency range: 4,500-20,000 Hz • Fs: 2,300 Hz • SPL: 92 dB 2.83V/1m • Dimensions: A: 2-3/8" square, B: 1-1/2", C: 1/2".

Regularly $8.99 LIST $5.00 EACH

#264-840 ..... $7.36

Tang Band 25-1372SC 1" Titanium Inverted Dome Tweeter

Inverted titanium dome, neodymium motor, aluminum faceplate, ferrofluid cooling, and a shorting ring. Great tweeter for multi-woofer or MTM applications.

Specifications: • Power handling: 50 watts RMS/80 watts max • VC_{DIA}: 1" • Z_{NOM}: 6 ohms • Re: 5.8 ohms • Frequency range: 2,500-25,000 Hz • Fs: 1,300 Hz • SPL: 94 dB 1W/1m • Dimensions: A: 4-1/8", B: 3-3/8", C: 1-1/16".

Regularly $59.99 LIST $38.00 EACH

#264-858 ..... $54.92

CLEARANCE

Tang Band 50-1426SA 2" Textile Dome Midrange

The neodymium motor structure and damped rear chamber give this midrange performance that can rival many of the expensive drive units on the market.

Specifications: • Power handling: 20 watts RMS/150 watts max • VC_{DIA}: 2" • Nominal Impedance: 6 ohms • Re: 5.6 ohms • Frequency range: 550-10,000 Hz • Fs: 550 Hz • SPL: 90 dB 1W/1m • Dimensions: A: 4-3/8", B: 3-5/8", C: 2-5/8".

Regularly $79.99 LIST $39.00 EACH

#264-856 ..... $64.35

Tang Band W69-1436 6" x 9" Neodymium Subwoofer

The oval shaped frame provides the surface area of a typical 8" driver in the footprint of a 6-1/2". With a large voice coil and powerful neodymium motor, this is a unique, high quality subwoofer.

Specifications: • Power handling: 80 watts RMS/160 watts max • VC_{DIA}: 3" • Impedance: 4 ohms • Re: 3.2 ohms • Frequency range: 40-350 Hz • Fs: 40 Hz • SPL: 88 dB 2.83V/1m • V_{AS}: 1.65 cu. ft. • Q_{MS}: 2.29 • Q_{ES}: .28 • Q_{TS}: .25 • X_{MAX} 5.5 mm • Dimensions: A: 6-1/2" x 9-1/4", C: 2-3/16".

Regularly $98.99 LIST $49.00 EACH

#264-864 ..... $78.93

Factory buyout from a manufacturer of high-quality outdoor speakers. European performance and versatility at blowout prices!

- Accurate bass and extended high frequency response
- Coaxial Audax dome tweeter
- Poly cone with rubber half roll surround
- Stamped steel or "Universal" plastic-injected basket
- Crossover capacitor included
- 4 ohm nominal woofer impedance
- 8 ohm tweeter

Versatile high fidelity drivers featuring a coaxially mounted Audax poly dome tweeter connected through separate leads to a 2.2 uF crossover capacitor, which may be bypassed for alternative filter designs. Sturdy stamped steel or "Universal" plastic-injected basket, mineral filled polypropylene cone, rubber surround, high temperature voice coil, and very smooth frequency response. Perfect for indoor/outdoor systems, surround sound, custom in-wall and in-ceiling, and mobile audio applications.

Vifa A16CJ-21-04
6-1/2" Coaxial Speaker

Specifications: • Power handling: 70 watts RMS/110 watts max • VCDIA: 1-1/4" • Le: 0.53 mH • Impedance: 4 ohms • Re: 2.9 ohms • Frequency response: 48-20,000 Hz • Fs: 48 Hz • SPL: 88 dB 1W/1m • VAS: 0.60 cu. ft. • QMS: 2.50 • QES: 0.50 • QTS: 0.42 • XMAX: 3.5 mm • Tweeter crossover: 10 kHz @ 6 dB/ octave • "Universal" plastic-injected basket • Dimensions: A: 6-1/2", B: 5-3/4", C: 3-1/4".

$20.00 EACH
#299-274

Compare to $60

Vifa A16CG-21-04
6-1/2" Coaxial Speaker

Specifications: • Power handling: 70 watts RMS/110 watts max • VCDIA: 1" • Le: 0.53 mH • Impedance: 4 ohms • Re: 2.9 ohms • Frequency response: 48-20,000 Hz • Fs: 48 Hz • SPL: 86 dB 1W/1m • VAS: 0.64 cu. ft. • QMS: 2.63 • QES: 0.85 • QTS: 0.64 • XMAX: 2.5 mm • Tweeter crossover: 10 kHz @ 6 dB/ octave • "Universal" plastic-injected basket • Dimensions: A: 6-1/2", B: 5-3/4", C: 3-1/4".

$15.00 EACH
#299-275

Compare to $60

Vifa A13CG-21-04
5-1/4" Coaxial Speaker

Specifications: • Power handling: 50 watts RMS/90 watts max • VCDIA: 1" • Le: 0.53 mH • Impedance: 4 ohms • Re: 3.03 ohms • Frequency response: 74-20,000 Hz • Fs: 74 Hz • SPL: 89 dB 1W/1m • VAS: 0.37 cu. ft. • QMS: 3.19 • QES: 0.80 • QTS: 0.64 • XMAX: 2 mm • Tweeter crossover: 10 kHz @ 6 dB/ octave • Plastic-injected basket • Dimensions: A: 6" ears (measured diagonally), 5" frame, B: 4-7/16", C: 2-1/4", tweeter extends 7/16" beyond woofer frame.

$9.00 EACH
#299-276

Compare to $40

Vifa A20CN-21-04
8" Coaxial Speaker

Specifications: • Power handling: 80 watts RMS/125 watts max • VCDIA: 1-1/2" • Le: 0.77 mH • Impedance: 4 ohms • Re: 3.1 ohms • Frequency response: 42-20,000 Hz • Fs: 42 Hz • SPL: 87 dB 1W/1m • VAS: 0.97 cu. ft. • QMS: 3.22 • QES: 0.71 • QTS: 0.58 • XMAX: 4.0 mm • Tweeter crossover: 10 kHz @ 6 dB/ octave • Stamped steel basket • Dimensions: A: 8-3/4", B: 7-3/8", C: 3-3/16".

$25.00 EACH
#299-272

Compare to $70



Every coaxial speaker features a high-performance Audax tweeter.

Vifa TP16WJ-06-08 6-1/2" Woofer

- Variant of a top-selling woofer
- Monitor-quality performance
- Poly cone with rubber half roll surround
- "Universal" plastic-injected basket
- 8 ohm impedance

Provides very smooth frequency response. Ideal for mid-sized bass reflex designs. The "universal" plastic-injected basket also facilitates automotive installation if desired. 1-1/4" diameter vented aluminum voice coil former with 9/16" long copper winding, rubber surround, and mineral filled polypropylene cone.

Specifications: • Power handling: 70 watts RMS/100 watts max • VCDIA: 1-1/4" • Le: 1.0 mH • Impedance: 8 ohms • Re: 5.6 ohms • Frequency response: 38-5,000 Hz • Fs: 38 Hz • SPL: 87 dB 1W/1m • VAS: 1.05 cu. ft. • QMS: 2.48 • QES: 0.52 • QTS: 0.43 • XMAX: 4.0 mm • Dimensions: A: 6-1/2", B: 5-3/4", C: 3".

$19.00 EACH
#299-277

Compare to $50



FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

Tymphany LAT250 Subwoofer

TYMPHANY

- High-output, compact bass transducer
- Cylindrical dual-motor design inherently cancels extraneous vibrations
- Rectangular chassis creates new mounting location opportunities
- Easily modeled using T/S parameters

The patented dual-motor LAT 250 is designed to provide strong bass performance in a new vibration-free, cylindrical form factor. The driver may be configured for use in sealed, vented, bandpass, or open-baffle enclosures, and provides high bass output from a very compact transducer. In typical applications, mechanical vibration is more than 90% lower than comparable loudspeakers, even at full output.

$29.80 (4-UP)
#299-850

Compare to $80

Paired with the appropriate high frequency driver, the Tymphany LAT is an ideal solution for lifestyle consumer electronics products such as flat panel TVs and sound bars, MP3 and cell phone docking stations, multimedia PCs, and other small devices.

Note: The nominal impedance is calculated with both 4 ohm coils driven in parallel.

Specifications: • Power handling: 100 watts RMS/200 watts max • Le: 0.27 mH • Impedance: 2 ohms • Re: 2 ohms • Frequency response: 60-1,600 Hz • Fs: 60 Hz • SPL: 84.5 dB 1W/1m • Vas: 0.31 cu. ft. • Qms: 3.4 • Qes: 1.0 • Qts: 0.79 • Xmax: 3 mm • Dimensions: A: 10.2" x 3.5", B: 9.4" x 2.7", C: 1.35" (half of total diameter).

#299-850 ..... $35.80 (1-3)

Square Frame Woofers

- Attractive square stamped steel frame
- Smooth response and hefty bass output
- Treated paper cone
- Foam half roll edge
- Choice of white or black cone

NEW

Perfect replacement woofers for classic hi-fi loudspeakers! The oversized decorative squared-off frame accommodates a wide variety of OEM driver cutouts. Smooth response and generous Xmax ensure optimum performance, and the use of modern materials and adhesives means your "experienced" speaker system will serve for many more years to come. Also great for DIY projects. Available in white or black cone versions.

10" Woofer Specifications: • Power handling: 75 watts RMS/150 watts max • VCdia: 1-1/2" • Le: 1.32 mH • Impedance: 8 ohms • Re: 5.8 ohms • Frequency response: 32-3,500 Hz • Fs: 32.5 Hz • SPL: 89 dB 1V/1m • Vas: 4.85 cu. ft. • Qms: 3.01 • Qes: 0.77 • Qts: 0.62 • Xmax: 4.25 mm • Dimensions: A: 12" diagonally; 10-7/8" across flats, B: 9", C: 4".

#290-910 (10" white cone)

#290-912 (10" black cone)..... $39.99 LIST **$19.97** (1-3) **$18.12** (4-UP)

12" Woofer Specifications: • Power handling: 80 watts RMS/160 watts max • VCdia: 1-1/2" • Le: 1.28 mH • Impedance: 8 ohms • Re: 5.8 ohms • Frequency response: 35-3,000 Hz • Fs: 34.8 Hz • SPL: 90 dB 1V/1m • Vas: 5.87 cu. ft. • Qms: 3.29 • Qes: 0.87 • Qts: 0.69 • Xmax: 4.25 mm • Dimensions: A: 14-3/8" diagonally; 12-7/8" across flats, B: 11", C: 4-1/2".

#290-914 (12" white cone)

#290-916 (12" black cone)..... $49.99 LIST **$23.63** (1-3) **$21.45** (4-UP)

15" Woofer Specifications: • Power handling: 100 watts RMS/200 watts max • VCdia: 2" • Le: 1.55 mH • Impedance: 8 ohms • Re: 5.9 ohms • Frequency response: 25-2,500 Hz • Fs: 25.4 Hz • SPL: 91 dB 1V/1m • Vas: 14.73 cu. ft. • Qms: 3.32 • Qes: 0.86 • Qts: 0.68 • Xmax: 4.25 mm • Dimensions: A: 17-3/4" diagonally; 16" across flats, B: 14", C: 5-1/4".

#290-918 (15" white cone)

#290-920 (15" black cone)..... $59.99 LIST **$37.92** (1-3) **$34.42** (4-UP)

Peerless 830983 2" Full Range Driver 4 Ohm

- Neodymium magnet
- Anodized aluminum center dome
- Copper pole piece cap controls impedance
- Perfect companion to LAT250

Specifications: • Power handling: 7 watts RMS/60 watts max • VCdia: 1" • Le: 0.2 mH • Impedance: 4 ohms • Re: 3.8 ohms • Frequency response: 150-20,000 Hz • Fs: 147.5 Hz • SPL: 82 dB 1W/1m • Vas: 0.07 cu. ft. • Qms: 3.06 • Qes: 0.7 • Qts: 0.57 • Xmax: 1.8 mm • Dimensions: A: 2.17" (2.56" diagonally ear-to-ear), B: 1.97", C: 1.31".

$7.80 (4-UP)
#299-271

Compare to $20

#299-271 ..... $9.50 (1-3)

Peerless SDS Series Woofers

- Premium sculpted stamped steel chassis
- Coated paper cone with rubber edge
- Smooth, extended response

The Superior Dynamic Sounds (SDS) Series provides the smallest but highest-quality woofers in the industry today.

SDS P830941 5-1/4" Shielded Woofer 8 Ohm

Specifications: • Power handling: 60 watts RMS/110 watts max • VCdia: 1" • Le: 1.2 mH • Impedance: 8 ohms • Re: 6.1 ohms • Frequency response: 57-10,000 Hz • Fs: 57.3 Hz • SPL: 88 dB 1W/1m • Vas: 0.37 cu. ft. • Qms: 2.69 • Qes: 0.49 • Qts: 0.41 • Xmax: 3.5 mm • Dimensions: A: 6" (5.28" across flats), B: 4.6", C: 3".

$14.50 (4-UP)
#299-852

Compare to $40

#299-252 ..... $19.88 (1-3)

SDS P835004 6-1/2" Woofer 4 Ohm

Specifications: • Power handling: 40 watts RMS/110 watts max • VCdia: 1" • Le: 1.0 mH • Impedance: 4 ohms • Re: 3.5 ohms • Frequency response: 38-6,000 Hz • Fs: 37.8 Hz • SPL: 89.5 dB 1W/1m • Vas: 1.38 cu. ft. • Qms: 5.35 • Qes: 0.27 • Qts: 0.26 • Xmax: 3 mm • Dimensions: A: 7.15" (6.45" across flats), B: 5.75", C: 3".

$14.50 (4-UP)
#299-250

Compare to $40

#299-250 ..... $19.88 (1-3)

Beston RT002A Ribbon Tweeter

BESTON technology

- Patented ribbon design
- 2,000-40,000 Hz frequency response
- Horn loaded for 92 dB sensitivity

Beston's RT002A features a laminated aluminum diaphragm, driven by a compact and lightweight neodymium magnet. The driven radiating surface's mass is usefully low, and contributes to the tweeter's superb range, efficiency, tonal neutrality, and transient response. Great for MTM designs.

SPECIAL

Specifications: • Power handling: 40 watts RMS/80 watts max • Impedance: 6 ohms • Re: 5.8 ohms • Frequency range: 2,000-40,000 Hz • SPL: 92 dB 1W/1m • Minimum recommended crossover frequency: 2,500 Hz • Dimensions: A: 4" x 4", B: 3.7" x 3.7", C: 1.32".

#277-112 ..... $59.99 LIST Regularly **$39.47** **$35.00** EACH

Esoteric Narrow Frame Drivers from JVC

JVC BUYOUT

These unique drivers were designed for JVC's top of the line Plasma TVs to produce the best sound in the smallest space. The drivers are mounted in factory tuned housings but can be easily removed. Full specifications are available online. Hurry, quantities are limited!

1" x 4" Full Range Neo Driver w/Housing

This interesting driver features a very smooth response, particularly between 2,000 and 18,000 Hz. The narrow design offers intriguing possibilities for line arrays or for use as a mid/high driver. Features include rubber-edged ribbed plastic cone, polymer frame, neodymium magnet, and unusual oval voice coil.

$1.98 (10-UP) #269-484

Compare to $7

Specifications: • Power handling: 10 watts RMS/20 watts max • Impedance: 8 ohms • Frequency response: 147-18,000 Hz • Fs: 147 Hz • SPL: 80 dB 1W/1m

#269-484 ..... $2.48 (1-9)

1.75" x 6.25" DVC Full Range Driver w/ Housing

Looking for a cool "one of a kind" driver for your next project? This speaker features a unique dual-drive full range design with a response that extends to 14,000 Hz. The individual 1/2" 4 ohm voice coils are wired in series and are coupled to the same rubber-edged paper cone.

$1.98 (10-UP) #269-486

Compare to $7

Specifications: • Power handling: 15 watts RMS/30 watts max • Impedance: 8 ohms • Frequency response: 152-14,000 Hz • Fs: 152 Hz • SPL: 85 dB 1W/1m

#269-486 ..... $2.48 (1-9)

JVC 4" Full Range Driver

Compact "pincushion"-style speaker boasts smooth midrange response and highs extending to 14,000 Hz. Stamped steel frame with front and rear mounting gaskets. Flat spider and 3/4" voice coil. Paper cone with treated cloth half-roll edge.

Specifications: • Power handling: 15 watts RMS/30 watts max • VCdia: 3/4" • Le: 0.68 mH • Impedance: 8 ohms • Re: 7.59 ohms • Frequency response: 130-14,000 Hz • Fs: 130 Hz • SPL: 87.5 dB 1W/1m • Vas: 0.073 cu. ft. • Qms: 2.88 • Qes: 1.24 • Qts: 0.87 • Xmax: 1.5 mm • Dimensions: A: 4-1/8" (5" diagonally ear-to-ear), B: 3-5/8", C: 1-7/8".

$1.98 (10-UP) #269-480

Compare to $7

#269-480 ..... $2.48 (1-9)

HiVi TN25 1" Fabric Dome Tweeter

SPECIAL HiVi

• Hand treated 1" fabric dome • Large non-resonant rear acoustic chamber • Ferrofluid cooled voice coil for higher power handling • Self-shielding neodymium magnet • Small faceplate allows for closer placement to bass/midrange driver for improved imaging.

Specifications: • Power handling: 20 watts RMS/40 watts max • VCdia: 1" • Impedance: 5 ohms • Re: 4.6 ohms • Frequency range: 2,500-22,000 Hz • Fs: 1,500 Hz • SPL: 89 dB 1W/1m • Dimensions: A: 2-1/8" x 2-1/8", B: 1-11/16", C: 2-1/2".

Regularly $8.91 $7.00 EACH

#297-408 ..... $19.00 LIST

HP-10800/4 10" High Power DVC Subwoofer

- Long excursion foam surround
- Heavy duty cast frame
- Large magnet structure
- Silver-injected polypropylene cone
- Recommended for sealed box designs
- 4 ohms per coil

$54.47 (4-UP) #299-740

Compare to $94

Specifications: • Power handling: 200 watts RMS/400 watts max • VCdia: 2" • Le: 1.39 mH • Impedance: 2 ohms • Re: 1.62 ohms • Frequency response: 40-1,000 Hz • Magnet weight: 80 oz. • Fs: 45 Hz • SPL: 85 dB 1W/1m • Vas: 0.77 cu. ft. • Qms: 6.3 • Qes: 1.03 • Qts: 0.88 • Xmax: 8.0 mm • Dimensions: A: 10", B: 9", C: 6-1/4".

Note: All specifications are with voice coils connected in parallel.

#299-740 ..... $62.64 (1-3)

7" DVC Subwoofer

Great for DIY projects as well as replacing blown drivers in compact powered subwoofer systems. Stamped steel oversized frame with integral mounting gasket fits cutouts for most 6-1/2" drivers. Treated paper cone and inverted dust cap. Rubber edge and vented pole piece. Dual voice coil design offers flexible connection options—connect as separate 8-ohm loads or combine in series or parallel.

$8.05 (4-UP) #299-756

Compare to $20

Specifications: • Power handling: 40 watts RMS/75 watts max • VCdia: 1-3/16" • Le: 0.34 mH • Impedance: 4 ohms (8 ohms per coil) • Re: 3.69 ohms (7.4 ohms per coil) • Frequency range: 58-2,500 Hz • Fs: 58 Hz • SPL: 88 dB 1W/1m • Vas: 0.7 cu. ft. • Qms: 4.381 • Qes: 1.02 • Qts: 0.83 • Xmax 3.5 mm • Dimensions: A: 6-15/16", B: 5-5/8", C: 3".

Note: All specifications are with voice coils connected in parallel.

#299-756 ..... $8.87 (1-3)

JVC 3" x 5" Full Range Driver

Extended range oval speaker with bright, extended frequency response. Paper cone, stamped steel frame, and front and rear mounting gaskets. Flat spider and treated cloth half-roll cone edge. 3/4" voice coil helps extend HF response to 16,000 Hz.

$1.50 (10-UP) #269-482

Compare to $7

Specifications: • Power handling: 15 watts RMS/30 watts max • VCdia: 3/4" • Le: 0.75 mH • Impedance: 8 ohms • Re: 7.5 ohms • Frequency response: 90-16,000 Hz • Fs: 90 Hz • SPL: 85.5 dB 1W/1m • Vas: 0.13 cu. ft. • Qms: 2.88 • Qes: 1.33 • Qts: 0.89 • Xmax: 1.5 mm • Dimensions: A: 3-3/8" x 4-7/8", B: 3-1/16" x 4-1/2", C: 2"

#269-482 ..... $1.98 (1-9)

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

High-value hi-fi! Perfect for replacement or new projects!

BUYOUT

Poly-laminated paper cones, treated foam surrounds, and polymer dustcaps.

6-1/2" Woofer

#292-308: • Power handling: 90 watts RMS/180 watts max • VCDIA: 1-1/2" • Le: 0.4 mH • Impedance: 4 ohms • Re: 3.7 ohms • Frequency range: 60-3,000 Hz • Fs: 60 Hz • SPL: 91 dB 2.83V/1m • VAS: 0.42 cu. ft. • QMS: 3.50 • QES: 0.73 • QTS: 0.61 • XMAX: 3.5 mm • Dimensions: A: 6-1/2", B: 5-5/8", C: 3-5/16".

$7.40 (4-UP)

#292-310: All specs the same except: • Le: 0.5 mH • Impedance: 8 ohms • Re: 7.1 ohms • SPL: 87.3 dB 1W/1m • QES: 0.97 • QTS: 0.75.

Compare to $13

#292-308 (4 ohm)

#292-310 (8 ohm)..... $8.51 (1-3)

8" Woofer

#292-312: • Power handling: 100 watts RMS/200 watts max • VCDIA: 1-1/2" • Le: 0.4 mH • Impedance: 4 ohms • Re: 3.7 ohms • Frequency response: 55-2,500 Hz • Fs: 53 Hz • SPL: 90.8 dB 2.83V/1m • VAS: 0.80 cu. ft. • QMS: 4.05 • QES: 0.85 • QTS: 0.70 • XMAX: 3.5 mm • Dimensions: A: 8", B: 7-1/8", C: 3-11/16".

$7.92 (4-UP)

#292-312 (4 ohm)..... $9.11 (1-3)

Compare to $14

10" Woofer

#292-316: • Power handling: 110 watts RMS/220 watts max • VCDIA: 1-1/2" • Le: 0.4 mH • Impedance: 4 ohms • Re: 3.8 ohms • Frequency range: 40-2,200 Hz • Fs: 41 Hz • SPL: 90.6 dB 2.83V/1m • VAS: 2.19 cu. ft. • QMS: 4.46 • QES: 1.66 • QTS: 1.21 • XMAX: 3.5 mm • Dimensions: A: 10", B: 9-1/8", C: 4-3/8".

$10.09 (4-UP)

#292-316 (4 ohm)..... $11.60 (1-3)

Compare to $18

12" Woofer

#292-320: • Power handling: 120 watts RMS/240 watts max • VCDIA: 1-1/2" • Le: 0.5 mH • Impedance: 4 ohms • Re: 3.6 ohms • Frequency range: 35-1,500 Hz • Fs: 38 Hz • SPL: 90.4 dB 2.83V/1m • VAS: 3.59 cu. ft. • QMS: 5.27 • QES: 1.43 • QTS: 1.17 • XMAX: 3.5 mm • Dimensions: A: 12", B: 11", C: 5-1/8".

$11.66 (4-UP)

#292-320 (4 ohm)..... $13.41 (1-3)

Compare to $21

12" Polypropylene Cone Woofer

Polypropylene cones, butyl rubber surrounds, vented pole piece, foam gasket, soft poly dust cap, and stamped steel frame.

#292-340: • Power handling: 100 watts RMS/140 watts max • VCDIA: 2" Le: 0.60 mH • Impedance: 4 ohms • Re: 3.6 ohms • Frequency response: 30-1,500 Hz • Fs: 30 Hz • SPL: 90.9 dB 2.83V/1m • VAS: 4.22 cu. ft. • QMS: 3.30 • QES: 0.86 • QTS: 0.68. • XMAX: 5.0 mm • Dimensions: A: 12", B: 11", C: 5-3/16".

$23.77 (4-UP)

#292-340 (4 ohm)..... $27.34 (1-3)

Compare to $42

SPECIAL

High-Pass 100 Watt Crossovers

30% OFF SALE!



This crossover is ideal for use in small 2-way surround sound speakers. There is no low pass filter section so the woofer will reproduce its full response width. A 12 dB per octave high pass filter with your choice of either a 3,000 Hz or 5,000 Hz crossover point. Dimensions: 3-1/2" W x 2-3/4" D x 1" H.

#260-174 (3,000 Hz)
#260-175 (5,000 Hz) ..... $12.99 LIST

Regularly $9.69

$6.78 EACH

2-Way 150 Watt Crossover



This crossover is ideally suited for satellite applications. The low pass section rolls off 6 dB at 5,000 Hz. The high pass section has a 12 dB per octave slope to prevent possibly damaging low frequencies below 4,500 Hz from reaching the tweeter. All crossover frequencies are rated into an 8 ohm load. Dimensions: 4-7/8" W x 3-1/2" D x 1-1/2" H. Replacement tweeter protector #260-231.

#260-198..... $15.99 LIST

Regularly $11.15

$7.66 EACH

3-Way 100 Watt Crossover



3-way crossover for speaker designed to handle 100 watts RMS program power. Crossover frequencies of 800 Hz and 5,000 Hz with 12 dB per octave roll-off into an 8 ohm load. Dimensions: 4-3/4" W x 4" D x 1-1/8" H.

#260-210..... $24.99 LIST

Regularly $14.90

$10.43 EACH

3-Way 200 Watt Crossover



An excellent choice for high power 3-way systems. The woofer section rolls off 6 dB at 800 Hz while the tweeter section uses a 12 dB per octave roll off at 4,500 Hz. The midrange section uses a true band pass filter with a response of 750-5,000 Hz. 12 dB per octave roll off. All crossover frequencies are rated into an 8 ohm load. Dimensions: 7" W x 4" D x 1-1/2" H. Replacement tweeter protector #260-231.

#260-230..... $49.99 LIST

Regularly $33.80

$23.66 EACH

Subwoofer Crossovers



Super duty, 200 watt RMS power handling capability. Designed especially for dual voice coil subwoofer systems, this crossover features a 12 dB per octave slope for the subwoofer. Crossover frequency: 150 Hz (#260-220 for 8 ohm systems) or 130 Hz (#260-221 for 4 ohm systems). Includes outputs for your existing speakers which provide a 6 dB per octave roll off at the crossover frequency. Dimensions: 5-1/2" W x 4-1/4" D x 1-1/2" H.

#260-221 (4 ohm, 130 Hz)
#260-220 (8 ohm, 150 Hz) ... $49.99 LIST

Regularly $36.80

$25.76 EACH

2" x 5" Piezo Horn

- Similar to KSN1016

Specifications: • Power handling: 50 watts RMS/75 watts max • Frequency response: 3,500-27,000 Hz • SPL: 94 dB • Dimensions: A: 5-3/4", B: 2-3/4", C: 2".

88¢ EACH #272-300

Piezo Horn Mid/Tweeter

- Similar to KSN1025

Specifications: • Power handling: 60 watts RMS/75 watts max • Frequency response: 1,800-30,000 Hz • SPL: 90 dB • Dimensions: A: 7-1/4", B: 3-1/10", C: 4".

$1.36 EACH #272-302

3-1/2" Round Exponential Horn Piezo Tweeter

- Similar to KSN1038A

Specifications: • Power handling: 60 watts RMS/80 watts max • Frequency response: 3,500-28,000 Hz • SPL: 94 dB • Dimensions: A: 3-7/8", B:2-3/4", C: 2-1/4".

88¢ EACH #272-304

3-1/2" Radial Horn Piezo Tweeter

- Smooth response and broad dispersion

Specifications: • Power handling: 70 watts RMS/90 watts max • Frequency response: 1,800-30,000 Hz • SPL: 92 dB • Dimensions: A: 3-7/16" x 3-7/16", B: 2-5/8" x 2-5/8", C: 2-1/2".

$1.12 EACH #272-306

3-1/4" Piezo Tweeter

- Similar to KSN1005

Specifications: • Power handling: 50 watts RMS/75 watts max • Frequency response: 3,500-27,000 Hz • SPL: 94 dB • Dimensions: A: 3-1/4", B: 3-1/4", C: 2-1/2".

88¢ EACH #272-308

3-1/2" Cone Tweeter

- Hard paper cone for a natural sound quality

Specifications: • Power handling: 35 watts RMS/50 watts max • Impedance: 8 ohms • Fs: 1,500 Hz • Frequency response: 3,000-20,000 Hz • SPL: 90 dB 1W/1m • Dimensions: A: 4", B: 3", C: 1-1/16".

$1.87 EACH #279-200

5-1/4" Cone Midrange

- Great general-purpose 5" sealed back midrange driver

Specifications: • Power handling: 35 watts RMS/50 watts max • Impedance: 8 ohms • Fs: 800 Hz • Frequency response: 1,500-10,000 Hz • SPL: 90 dB 1W/1m • Dimensions: A: 5-1/8", B: 4-1/16", C: 1-5/8".

$2.47 EACH #279-202

Jasper Circle Jigs

SPECIAL

MADE IN U.S.A.

If you're a speaker builder, you need this tool!

Jasper jigs convert your router into a precision circle cutting device that will cut circles and mortises in 1/16" increments. Ideal tool for creating highly accurate cutouts in custom built speaker cabinet baffles. Model 400 is perfect for small tweeters and midranges. Designed for use with MDF, plywood, particle board, solid woods and plastic sheet. Mounts directly to the base of 19 different models of routers including Bosch 1613 and 1615, DeWalt 621 and 625, Freud FT2000E, Hitachi M8V, TR12 and M12V, Porter Cable 693 and 7539, Skil 1823 and 1825, and all Sears, Ryobi and Makita models. Made in the USA.

Part #	Mfg. #	Hole Size	Regular Price	Special Price
365-255	400	1"-7-1/2"	$26.62	$19.00
365-250	200	2-1/4"-18-3/16"	38.88	29.00
365-260	Combo Pack (#365-255 & #365-250)		54.90	39.00



Round Speaker Terminal

Spring loaded, pushbutton terminal with polarity identification. Accepts up to 12 gauge wire. Overall size: 2-15/16" round; cutout: 1-7/8" round. Includes gasket.

48¢ EACH #269-372



Pressfit Speaker Terminal

Spring loaded, pushbutton speaker terminal in a roundhousing. Accepts up to 12 gauge wire. Overall size: 2-3/16" round; cutout: 1-7/8" round.

48¢ EACH #269-373



Round Spring Terminal

Round spring terminal cup includes red and black terminals for easy polarity identification. Includes mounting gasket, measures 4-1/2" round and requires 3-3/8" cutout. Mounting holes located on the cardinal points.

68¢ EACH #269-960



Subwoofer Input/Output Terminal

This recessed terminal panel has four inputs and four outputs for connecting in and out of a passive subwoofer system. Accepts large diameters of wire and comes with mounting gasket. Overall size is 5" x 7", cutout is 4" x 6".

$1.45 EACH #269-964

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

Morel MDM-55 2-1/8" Compact Dome Midrange

SPECIAL

No compromise 2-1/8" treated soft dome mid-range designed for high end multiple speaker systems. It employs a powerful neodymium magnet (22 times stronger than ferrite!) enabling this unit to be both compact and ultra lightweight. Features Hexatech aluminum voice coil technology, rear chamber loading, gold plated terminals, and is fully shielded to allow A/V use. This fine midrange retains the natural "warmth" and "body" of sounds.

Specifications: • Power handling: 200 watts RMS/285 watts max • Le: .19 mH • VCDIA: 2-1/8" • Impedance: 8 ohms • Re: 6.3 ohms • Frequency response: 250-6,500 Hz • Fs: 280 Hz • SPL: 91 dB 1W/1m • Dimensions: A: 3-7/16" x 3-7/16", B: 3", C: 3-3/8".

#287-020 ..... $103.99 LIST Regularly $89.49 $67.00 EACH

Morel MDT-39 1-1/8" Compact Soft Dome Tweeter

The MDT-39 is a super high quality tweeter of small dimensions (the faceplate measures only 2-1/8" x 2-1/8")! This is achieved by using an ultralight, powerful neodymium magnet coupled to a rear chamber for low resonance. The MDT 39 utilizes Morel's proven 1-1/8" soft dome and features low distortion, wide frequency response, and lack of sound pressure compression. Fully shielded for A/V use.

Specifications: • Power handling: 80 watts RMS/110 watts max • VCDIA: 1-1/8" • Impedance: 8 ohms • DC resistance: 5.3 ohms • Frequency response: 2,200-20,000 Hz • Fs: 750 Hz • SPL: 88 dB 1W/1m • Net weight: 3 oz. • Dimensions: A: 2-1/8" x 2-1/8", B: 1-3/4", C: 2-1/4", D: 1-3/4".

#277-035 ..... $63.99 LIST Regularly $54.42 $43.00 EACH

Morel DMS-30S 1-1/8" Soft Dome Tweeter

A Morel classic, the DMS-30S features a single magnet system vented into a damped rear chamber which lowers resonance. Ferrofluid cooled aluminum voice coil contributes to this unit's low distortion and exceptionally smooth response. 1-1/8" treated soft dome. Magnetically shielded.

Specifications: • Power handling: 200 watts RMS/280 watts max • VCDIA: 1-1/8" • Impedance: 8 ohms • Re: 5.2 ohms • Frequency response: 1,600-25,000 Hz • Fs: 650 Hz • SPL: 90 dB 1W/1m • Dimensions: A: 3-11/16", B: 2-13/16" • Replacement diaphragm #277-016.

#277-014 ..... $93.99 LIST Regularly $79.19 $62.00 EACH

Morel EM428 4" DPC Cone Midrange

- Uniflow™ steel chassis
- Neodymium magnet system
- Shallow profile DPC cone

Specifications: • Power handling: 150 watts RMS/800 watts max • VCDIA: 2.1" • Impedance: 8 ohms • Re: 5.4 ohms • Frequency range 50-5,000 Hz • Fs: 320 Hz • SPL: 87 dB 1W/1m • VAS: .12 cu. ft. • QMS: 3.03 • QES: .48 • QTS: .41 • XMAX: 3 mm • Dimensions: A: 4-2/3", B: 3-3/4", C: 2-1/4".

#287-032 ..... $131.61 LIST Regularly $126.67 $110.00 EACH

Usher 8945A 7" Carbon Fiber/Paper Woofer

The 8945A woofer is one of Usher's most popular drivers, featuring their low distortion motor system and a carbon fiber/paper blend cone. High excursion capabilities combined with the rigid yet well-damped cone provide powerful bass without a harsh midrange.

Specifications: • Power handling: 80 watts RMS/90 watts max • VCDIA: 1-5/8" • Le: .46 mH • Impedance: 8 ohms • Re: 5.8 ohms • Frequency range: 35-8,000 Hz • Fs: 35 Hz • SPL: 87 dB 2.83V/1m • VAS:1.21 cu. ft. • QMS: 1.96 • QES: .37 • QTS: .31 • XMAX: 6.0 mm • Dimensions: A: 7", B: 5-5/8", C: 3-1/16".

#296-600 ..... $129.99 LIST Regularly $110.39 $99.00 EACH

Usher 8836A 7" Kevlar Woofer

The Kevlar cone material offers excellent midrange and midbass clarity, while still maintaining great dynamics. The truncated frame makes this woofer great for multi-driver systems.

Specifications: • Power handling: 70 watts RMS/100 watts max • VCDIA: 1-1/2" • Le: .32 mH • Impedance: 8 ohms • Re: 5.5 ohms • Frequency range: 28-5,000 Hz • Fs: 28 Hz • SPL: 88 dB 2.83V/1m • VAS: 1.77 cu. ft. • QMS: 1.22 • QES: .33 • QTS: .26 • XMAX: 5.0 mm • Dimensions: A: 7-1/4", B: 6-1/4", C: 3-1/4".

#296-606 ..... $119.99 LIST Regularly $101.19 $88.00 EACH

Peerless XLS Subwoofers

SPECIAL

- Extra Long Stroke series
- Extreme deep bass
- Nomex fiber impregnated cones
- Distortion-reducing aluminum shorting rings

830452 10"

Specifications: • Power handling: 300 watts RMS/425 watts max • VCDIA: 2" • Le: 4.3 mH • ZNOM: 8 ohms • Re: 3.4 ohms • Frequency range: 19-550 Hz • Fs: 18.9 Hz • SPL: 88.4 dB 2.83V/1m • VAS: 3.17 cu. ft. • QMS: 2.63 • QES: .18 • QTS: .17 • XMAX: 12.5 mm • Dimensions: A: 10-1/2", B: 9-1/2", C: 4-7/8".

#297-604 ..... $209.99 LIST Regularly $173.60 $138.00 EACH

830500 12"

Specifications: • Power handling: 300 watts RMS/425 watts max • VCDIA: 2" • Le: 4.2 mH • ZNOM: 8 ohms • Re: 3.5 ohms • Frequency range: 18.1-500 Hz • Fs: 18.1 Hz • SPL: 90.6 dB 2.83V/1m • VAS: 4.92 cu. ft. • QMS: 3.7 • QES: .21 • QTS: .20 • XMAX: 12.5 mm • Dimensions: A: 12", B: 11", C: 5-1/4".

#297-608 ..... $254.99 LIST Regularly $197.44 $150.00 EACH

2-Piece 15" Mesh Grill

2-piece construction allows you to mount ring and woofer with one set of screws and snap grill over entire assembly. Installed screws are not visible. Sold individually. Heavy duty expanded steel mesh design.

SPECIAL

#260-430 ..... Regularly $17.00 $9.00 EACH

Audience A3 3" Full Range Driver

NEW



- Premium point source/line array driver
- Exceptional resolution and detail
- Low power-compression and wide dynamic range
- Aluminum-magnesium alloy cone, 12 mm X_{MAX}
- 40 Hz to 22 kHz response
- Patented and patent-pending technologies

Audience's A3 is a breakthrough full range loudspeaker driver design comprised of the patented XBL motor, patent-pending suspension, and a patent-pending basket. The 3" A3 is capable of 12 mm of usable excursion with less than 1 dB compression at levels up to 95 dB SPL. Despite its brute-strength functionality, the driver is ultra-responsive at 2.5 grams total moving mass, which provides outstanding resolution and dynamics.

Specifications: • Power handling: 20 watts RMS/40 watts program/60 watts max • VC_{DIA}: 1" • Le: 0.03 mH • Impedance: 16 ohms • Re: 13 ohms • Frequency response: 40-22,000 Hz • Fs: 70 Hz • SPL: 81.9 dB 2.83V/1m • V_{AS}: 0.11 cu. ft. • Q_{MS}: 1.18 • Q_{ES}: 0.52 • Q_{TS}: 0.36 • X_{MAX}: 12 mm • Dimensions: A: 3.27" x 3.62", B: 2.76", C: 2.28".

#296-220.....$340.00 LIST **$170.00** (1-7) **$155.00** (8-UP)

ESS Heil Air Motion Transformer

- Articulate, open sound quality
- High sensitivity
- Dipolar output for naturally ambient sound reproduction
- Pleated diaphragm "squeezes" air instead of pushing it
- 800 to 20,000 Hz from a single source
- Diaphragm shape delivers wide horizontal/narrow vertical dispersion

NEW

The ESS Air Motion Transformer (AMT) uses a folded pleated Mylar diaphragm of a mere 0.0005" thickness! Because the moving mass of the AMT is extremely low and the magnetic structure very powerful, this combination results in extremely high acceleration that yields amazing transients. ESS manufactures the original and still best Air Motion Transformer invented by Dr. Oskar Heil over 30 years ago.

Specifications: • Power handling: 40 watts RMS/160 watts max • Impedance: 4 ohms • Re: 2.9 ohms • Frequency response: 800-20,000 Hz • Minimum crossover frequency: 800 Hz at 12 dB/octave or more • SPL: 92 dB 1W/1m • Dimensions: 6" H x 6-3/4" W x 4-1/4" D.

#264-600.....$399.00 LIST **$350.00** (1-3) **$325.00** (4-UP)

ESS Heil Air Motion Transformer Diaphragms



Genuine replacement diaphragms for many ESS Heil Air Motion Transformers, past and present. Easy to install—AMT performance is quickly restored to new!

Visit our Website for additional applications and information.

NEW

Mfg. # 1107: • Applications: AMT1A, AMT1B, AMT1C, AMT1D, and many more. • Dimensions: 5-9/16" H x 1-9/16" W.

#264-602..... $89.95 LIST **$80.00** (1-3) **$70.00** (4-UP)

Mfg. # 1108: • Applications: CE1, CE2, AMT4, AMT6, PS8H, and many more. • Dimensions: 4-11/16" H x 1-3/4" W.

#264-604.....$89.95 LIST **$80.00** (1-3) **$70.00** (4-UP)

Mfg. # 1109: • Applications: PS5, PS6D, PS8A, PS810, PS910, PS1010, PS1210, PS820, PS920, PS1020, PS1220, and many more. • Dimensions: 2-15/16" H x 1-1/4" W.

#264-606..... $79.95 LIST **$70.00** (1-3) **$62.00** (4-UP)

Dayton Audio SA240 240W Subwoofer Amplifier

- Line-level and speaker-level inputs
- Auto-on circuit
- Soft-clip circuitry
- Full complement of protection circuits
- Reversible phase switch
- Variable frequency 4th order low-pass crossover

SPECIAL

Specifications: Measured power output: 170 watts RMS into 8 ohms @ 0.1% THD, 240 watts RMS into 4 ohms @ 0.2% THD. Signal to noise ratio: 90 dB (A-weighted). Dimensions: 9-13/16" W x 9-13/16" H x 5" D. Enclosure cutout: 8-1/2" x 8-1/2". • #300-805 with 6 dB boost @ 30 Hz

#300-804
#300-805..... $188.99 LIST

Regularly **$139.98**
$109.00 EACH

Dayton Audio SA70 70W Subwoofer Amplifier

- Line-level and speaker-level inputs
- Auto-on circuit
- Variable 2nd order low-pass crossover

Specifications: Measured power output: 45 watts RMS into 8 ohms @ 0.1% THD, 70 watts RMS into 4 ohms @ 0.2% THD. Signal to noise ratio: 90 dB (A-weighted). Dimensions: 7-1/2" W x 8-11/16" H x 3-1/2" D. Enclosure cutout: 6-1/2" W x 7-3/4" H.

SPECIAL

#300-784..... $90.99 LIST

Regularly **$67.39**
$53.00 EACH

Dayton Audio HPSA500 500W Subwoofer Amplifier

- Class AB output stage for powerful, clean output
- Patented tracking downconverter power supply increases efficiency
- Low frequency parametric EQ allows you to boost or adjust the sound
- Advanced soft clip circuitry improves headroom and protects woofers

General Specifications:

Parametric EQ: Frequency: 18 to 80 Hz, Level: -14.5 to +6 dB, Bandwidth: .1-1

Low pass crossover: 30 to 200 Hz Phase: 0° (normal) or 180° (reverse)

Dimensions: 11-15/16" W x 11-15/16" H x 5-1/4" D. Cutout: 10" x 10".

Specifications: Measured power output: 273 watts RMS into 8 ohms @ 0.06% THD, 546 watts RMS into 4 ohms @ 0.15% THD.

SPECIAL

#300-806..... $439.99 LIST

Regularly **$325.80**
$250.00 EACH

T-Nuts

Popular T-nuts used in speaker systems and other applications where you need strength when mounting items in wood. Packages of 50.

Part #	Size	Price (1-9)	Price (10-UP)
081-1070	#10-32	$3.45	$3.15
081-1073	#10-24	3.45	3.15
081-1075	1/4"-20	3.45	3.15

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

SA SOUND ADVANCE®

BUYOUT

Compare to JBL, MTX, EV, RCF, and Tannoy! Sound Advance's Commercial Series products are used in 8 ohm and 70/100 volt commercial installations around the world. The speakers feature a solid, smooth face with no unsightly grill, allowing them to blend effortlessly into any decor.

Sound Advance FastMount Series

- Hi-fi sound, indoors or out
- FastMount brackets included
- Weatherproof, paintable polypropylene sealed enclosure
- Weather resistant removable aluminum grill
- Flat, smooth frequency response
- Multiple transformer tap settings including 8 ohm bypass
- Sold in pairs, available in black or white (FMS860 in white only)

The Sound Advance® FastMount® Series consists of three extended bandwidth loudspeakers that establish a new benchmark for ruggedness, weather resistance, ease of installation, and performance in commercial/professional outdoor speakers. Featuring the exclusive FastMount bracket system, speakers pivot up to 180° on the included bracket while remaining less than 1" from the mounting surface.

All FastMount systems feature a polypropylene cone woofer (FMS860: 8", FMS660: 6-1/2", FMS530: 5-1/4") and a 1" polyurethane dome tweeter that ensure superior-quality sound even in outdoor areas with minimal reflecting surfaces. The speakers are transformer-coupled, with taps for both 70V and 100V operation and 8 ohm bypass.

Specifications: • Enclosure material: Polypropylene (sealed) • Grill: Paintable weather-resistant aluminum • Input termination: four post barrier strip, weather protected

FMS530: • Sensitivity: 88 dB (2.83V/1m) • Transformer taps: 30W, 15W, 7.5W, 3.8W (70V), 30W, 15W, 7.5W, (100V), 8 ohm bypass • 10-1/2" H x 6-1/2" W x 6" D

FMS660: • Sensitivity: 89 dB (2.83V/1m) • Transformer taps: 60W, 30W, 15W, 7.5W (70V), 60W, 30W, 15W, (100V), 8 ohm bypass • 12" H x 7-1/2" W x 7-1/8" D

FMS860: • Sensitivity: 91 dB (2.83V/1m) • Transformer taps: 60W, 30W, 15W, 7.5W (70V), 60W, 30W, 15W, (100V), 8 ohm bypass • 14" H x 9" W x 9-1/4" D

8" 2-Way

#249-454 (White)

$149.00 PAIR
Mfg. # FMS860

Compare to $600

#249-451 (White)

5-1/4" 2-Way

$79.00 PAIR
Mfg. # FMS530

#249-450 (Black)

Compare to $350

#249-453 (White)

6-1/2" 2-Way

$99.00 PAIR
Mfg. # FMS660

#249-452 (Black)

Compare to $475

FastMount Bracket Included

The exclusive patent-pending FastMount bracket allows these loudspeakers to easily snap and lock securely into place. Removal is via a hidden release tab located behind the speaker grill. These brackets make it easy for installers to mount FastMount loudspeakers as close as one inch to the mounting surface in a vertical or horizontal position, on a pole, or across a corner.

SpeakerTiles are available in a variety of models, featuring a selection of standard three-dimensional patterns or factory-applied surface finishes that allow a match with most common suspended ceiling tile patterns.

Sound Advance ST2416S and ST2432D SpeakerTiles

BUYOUT

- Fast, easy T-bar suspended ceiling grid installation – no cutting
- Almost invisible in many applications
- Unique Planar Diaphragm Technology™ provides amazing fidelity
- Wide, hemispherical dispersion reduces number of required sound sources
- Available in 1-way single driver and 2-way dual driver versions
- Available in a variety of ceiling tile finishes
- Recommended for indoor or weather-protected outdoor environments



Patented Planar Diaphragm Technology™ allows a SpeakerTile that has been properly installed in a suspended ceiling to radiate sound in a 140° hemispherical pattern with smooth, even coverage. This dispersion characteristic allows SpeakerTiles to be spaced farther apart than narrow-dispersion conventional speakers, reducing the total quantity of loudspeakers required in almost any installation. An optional PBB 2.0 backbox is available, and is recommended for use when the SpeakerTile is installed in air handling spaces.

The white Expanded PolyStyrene (EPS) front surface of the SpeakerTile allows all models to optionally be finished on-site with any water-soluble finish, such as latex paint, or covered with light wallpaper, fabrics, and selected texture coats, further enhancing the SpeakerTile's ability to blend invisibly with almost any interior design choice.

Sound Advance ST2416S SpeakerTile

The ST2416S is a one-way, full-range device. **Sold in pairs.**

Specifications: • Radiating surface: 549 sq. in. planar diaphragm • Driver system: 0.82 lb. magnet with 1.02" voice coil • Frequency response: 60 Hz – 15 kHz ±4 dB • Power handling: 40 watts RMS as per EIA standard RS-426-A • Sensitivity: 89 dB @ 1W/1m • Transformer primary voltage: 70.7V, 100V, and 8 ohm bypass • Transformer output taps (70.7V): 0.5, 1, 2, 4, 8, 16 watts • Transformer output taps (100V): 1, 2, 4, 8, 16 watts • Dimensions: 23-3/4" H x 23-3/4" W x 4-5/16" D.

Sound Advance ST2432D SpeakerTile

The ST2432D is a two-way, full-range device that utilizes a crossover centered at 1,200 Hz, with 12 dB per octave slopes for both low-pass and high-pass sections. **Sold individually.**

Specifications: • Radiating surface: 549 sq. in. planar diaphragm • Tweeter system: 0.82 lb magnet with 1.02" voice coil and 1,200 Hz, 12 dB/octave high-pass crossover • Woofer system: 0.82 lb. magnet with 1.02" voice coil and 1,200 Hz, 12 dB/octave low-pass crossover • Frequency response: 40 Hz – 19 kHz ±4dB • Power handling: 75 watts RMS as per EIA standard RS-426-A • Sensitivity: 92 dB @ 1W/1m • Transformer primary voltage: 70.7V, 8 ohm bypass • Transformer output taps: 0.5, 1, 2, 4, 8, 16, 32 watts • Dimensions: 23-7/16" H x 23-7/16" W x 3" D.

8 ohm or 70V applications



ST2432D (Dual)

ST2416S (Single)

Also available:

Sound Advance PBB 2.0 SpeakerTile Backbox

#249-455.....$86.00 LIST **$28.00** (1-3) **$24.00** (4-UP)

New Lower Prices!



Part #	Mfg. #	Drivers	Frequency Response	Power Watts RMS	Style/Finish	Pair/ Each	List Price	Regular Price	Buyout Price (1-3)	Buyout Price (4-UP)
249-456	ST2416S	One	60-15,000 Hz	40	White/Smooth	Pair	$398.00	$278.00PR	$99.00PR	$79.00PR
249-457	ST2416S-3D1	One	60-15,000 Hz	40	Fine Fissured	Pair	398.00	278.00PR	99.00PR	79.00PR
249-458	ST2416S-3D2	One	60-15,000 Hz	40	Cortega	Pair	398.00	278.00PR	99.00PR	79.00PR
249-459	ST2416S-3D21	One	60-15,000 Hz	40	Cirrus	Pair	398.00	278.00PR	99.00PR	79.00PR
249-460	ST2416S-3D4	One	60-15,000 Hz	40	Fissured	Pair	398.00	278.00PR	99.00PR	79.00PR
249-461	ST2416S-3D7	One	60-15,000 Hz	40	Optima/Ultima	Pair	398.00	278.00PR	99.00PR	79.00PR
249-462	ST2432D	Two	40-19,000 Hz	75	White/Smooth	Each	279.00	195.00EA	79.00EA	69.00EA
249-463	ST2432D-3D2	Two	40-19,000 Hz	75	Cortega	Each	279.00	195.00EA	79.00EA	69.00EA
249-464	ST2432D-3D21	Two	40-19,000 Hz	75	Cirrus	Each	279.00	195.00EA	79.00EA	69.00EA
249-465	ST2432D-3D4	Two	40-19,000 Hz	75	Fissured	Each	279.00	195.00EA	79.00EA	69.00EA
249-466	ST2432D-3D7	Two	40-19,000 Hz	75	Optima/Ultima	Each	279.00	195.00EA	79.00EA	69.00EA

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

High Output and Clarity You Can Count On!

SPECIAL

DAYTON AUDIO



The Dayton Audio D1075T PA driver provides efficient, articulate sound and is designed to excel in the harshest environment. The phenolic-impregnated cloth diaphragm will resist years of continuous stress, and multiple-attenuation taps on the enclosed transformer permit easy adjustment of maximum output.

Specifications: • Nominal input: 70.7 volts • Power handling: 75 watts RMS (above 300 Hz) • Frequency response: 180-6,000 Hz • SPL: 110 dB 1W/1m • Transformer taps: 25, 30, 50, and 75 watts, plus 16 ohm bypass • Standard 1-3/8"-18 threaded mounting • D1075RD replacement diaphragm #300-192 • Dimensions: 5.5" dia. x 6" D.

#300-190 ..... $61.99 LIST — Regularly $46.97 — $37.50 EACH

Dayton Audio Public Address Horns

New Lower Price

DAYTON AUDIO

Affordable, durable horns for demanding sound reinforcement applications. The re-entrant style horn flare design provides an expansion path that is longer than conventional straight horns; this ensures that the lowest possible frequency response can be achieved. The Dayton Audio RPH-16 and RPH-20 PA horns are formed from lightweight aluminum and painted with a durable polyester finish, so you know that they will survive years of exposure to sun and rain. Great for indoor or outdoor applications, sturdy mounting yoke for precise alignment included. Standard 1-3/8"-18 threaded throat; available in 16" and 20" mouth diameter.

#300-194 (16" horn) ..... $32.99 LIST — $15.69 (1-3) — $14.76 (4-UP)

#300-196 (20" horn) ..... $38.99 LIST — $18.17 (1-3) — $17.28 (4-UP)

Selenium Horn Throat Adapters

SELENIUM LOUDSPEAKERS

The Selenium ADF25-25 adapts a 1-3/8"-18 TPI driver for use with a 1" diameter throat 3-bolt horn, and the ADM25-25 adapts a 2-bolt/3-bolt 1" throat driver to a 1-3/8"-18 TPI horn.

#264-322

#264-323

#264-322 (Threaded driver to bolt-on horn) ..... $3.76 (1-3) — $3.51 (4-UP)

#264-323 (Bolt-on driver to threaded horn) ..... $6.35 (1-3) — $5.93 (4-UP)

Back in Stock!

Dayton Audio H12RW 12" High Frequency Waveguide

DAYTON AUDIO

SPECIAL

$11.00 EACH

#270-312

Atlas Sound 8" Dual Cone Speaker Assembly

Atlas Sound

SPECIAL

Atlas Sound's cost effective 8" diameter, multi-purpose ceiling speakers offer high quality music reproduction or paging in any commercial, retail, industrial, or institutional application. Includes factory-installed line matching transformer, CRS white powder coat baffle with concealed loudspeaker mounting studs, and screw mount hardware. UL Listed/Standard 1480, 2043. Sold individually.

Specifications: • Speaker: 8" dual cone, 10 oz. magnet • Xfmr: 25/70.7V • Primary taps (25 & 70V): 0.25, 0.5, 1, 2, 5 watts • Sensitivity: 97 dB 1W/1m • Frequency response: 100 Hz-10 kHz (±1.5 dB) • Dimensions (overall): 12-3/4" dia. x 2-7/8" D.

#242-838 ..... $26.00 LIST — Regularly $23.78 — $20.00 EACH

Crown 135MA & 160MA Commercial Mixer-Amplifiers

crown

NEW

- Ideal for paging, background music, and music-on-hold
- Balanced Phoenix-type mic/line input, telephone output, dual RCA stereo music inputs, screw-terminal speakeroutputs
- Priority muting by VOX or external switch
- Bass and Treble controls on master output
- Three-Year, No-Fault, Fully Transferable Warranty

The Crown® 135MA and 160MA are high value mixer-amplifiers for commercial audio. They provide 8-ohm and constant-voltage outputs (70V and 100V). Typical uses are paging, background music, and music-on-hold. The 135MA provides 3 inputs (each with a volume control) and a 35W amplifier output. The 160MA provides 4 inputs (each with a volume control) and a 60W amplifier output. Other features include priority muting, voice activated muting, phantom power, and Bass and Treble controls.

#245-491 (135MA – 35W) ..... $199.00 LIST — $159.00 EACH

#245-492 (160MA – 60W) ..... $325.00 LIST — $269.00 EACH

70V Speaker Attenuator Wall Plates

SPECIAL

Controls the volume of 70 volt line PA speakers via a 10 step detented control. Wall plate features a white-finish stainless steel face and fits most standard single-gang electrical junction boxes. Screw type connectors accept up to 14 gauge wire for ease of installation. Frequency response: 35-20,000 Hz. Available in 15 and 30 watt RMS power ratings.

#300-043 (15 watt) ..... $23.99 LIST — Regularly $18.95 — $16.00 EACH

#300-044 (30 watt) ..... $24.99 LIST — Regularly $19.37 — $16.00 EACH

Dayton Audio High Frequency Waveguides

DAYTON AUDIO

SPECIAL

#270-308

#270-316

Dayton Audio waveguides reveal all of the articulate, accurate sound reproduction that your HF drivers are capable of delivering, whether the application is live sound, critical studio monitoring, or demanding home audio playback. Two versions are available, round or elliptical. Both are precision molded from high-performance plastic, and have industry-standard 1-3/8" x 18 TPI throats for screw-on style drivers.

Part#	Model	Shape	Lowest Rec. Xover Freq.	Nom. Coverage	Dimensions (H x W x D)	List Price	Regular Price	Special Price
270-308	H08RW	Round	2,200 Hz	75° conical	8" round x 4-3/4" D	$12.99	$9.68	$7.00
270-310	H10RW	Round	1,600 Hz	75° conical	10" round x 5" D	14.99	11.51	9.00
270-312	H12RW	Round	1,200 Hz	75° conical	11-1/2" round x 5-1/4" D	17.99	13.90	11.00
270-314	H45E	Elliptical	3,500 Hz	80° horiz. x 50° vert.	4-11/16" x 4-5/8" x 3-1/8"	7.99	5.50	4.00
270-316	H07E	Elliptical	2,200 Hz	80° horiz. x 50° vert.	7" x 7-1/8" x 3-5/8"	10.99	7.99	6.00

B&C DE250-8 1" Compression Driver

- 120 watt continuous program power capacity
- 1.7" aluminum voice coil
- Polyimide diaphragm
- 108.5 dB sensitivity
- 1" bolt-on format (2-bolt/3-bolt)

SPECIAL

1" high frequency compression driver with smooth and accurate response. Low mass polyimide diaphragm and optimized ceramic magnet assembly allow high sensitivity and low distortion up to 18 kHz.

Specifications: • Power handling: 60 watts RMS/120 watts program above recommended crossover of 1.6 kHz/12 dB slope • VCDIA: 1.7" • Impedance: 8 ohms • Frequency response: 1,000-18,000 Hz • SPL: 108.5 dB 1W/1m • Dimensions: 4.7" diameter x 2.4" depth • Net weight: 4.6 lbs. • Replacement diaphragm available.

B&C SPEAKERS

#294-605 ..... $200.27 LIST Regularly $151.20 $130.00 EACH

Selenium D220Ti-8 1" Titanium Horn Drivers

SELENIUM LOUDSPEAKERS

SPECIAL

- Titanium diaphragm for durability and extended HF response
- Smooth, extended frequency response
- Available in 8 ohm and 16 ohm versions
- 1" bolt-on and 1-3/8"-18 TPI screw-on versions

Successor to the popular D210Ti, Selenium's D220Ti is a high quality compression driver offering excellent efficiency and low distortion.

Specifications: • Power handling: 80 watts RMS/160 watts program (with recommended 2,000 Hz, 12 dB/octave crossover) • VCDIA: 1.7" • Throat diameter: 1" • Impedance: 8 or 16 ohms • Frequency response: 1,000-21,000 Hz (no crossover) • SPL: 109 dB 2.83V/1m • Magnet weight: 24 oz. • Dimensions: Diameter: 4.53", Depth: 2", 2.75" including threaded "nose".

Part #	Mfg. #	Description	List Price	Price Each	Special Price
264-270	D220Ti-8	Screw-on, 8 ohm	$51.00	$43.66	$40.80
264-271	D220Ti-OMF-8	Bolt-on, 8 ohm	52.00	44.51	41.60
264-272	D220Ti-16	Screw-on 16 ohm	51.00	43.66	40.80
264-273	D220Ti-OMF-16	Bolt-on 16 ohm	52.00	44.51	41.60

Eminence PSD:3006-8 2" Titanium Driver 8 Ohm

- 2" exit HF driver, 4-bolt mounting pattern
- 3" high-temperature voice coil
- Titanium diaphragm with polyimide VC former
- Geodesic embossed dome increases strength, reduces distortion

EMINENCE

Ideal for high-power, high-output professional sound reinforcement applications. Replacement diaphragm available.

Specifications: • Power handling: 80 watts RMS (AES500 specification with x-over >500 Hz, exc. 24 dB/octave), 115 watts RMS (AES800 specification with 800 Hz x-over @ 12 dB/octave) • Impedance: 8 ohms • Frequency range: 500-18,000 Hz • Sensitivity: 111.4 dB (1W/1m across 500 Hz-18 kHz). Magnet weight: 80 oz. • Dimensions: 7.9" diameter x 3.1" depth.

#290-440 ..... $229.99 LIST $199.97 EACH

#290-438 (PSD:3006-8DIA diaphragm) ..... $99.99 LIST $94.97 EACH

Dayton Audio PK165-8 6" Kevlar/ Paper Midrange

DAYTON AUDIO

SPECIAL

Dayton Audio's PK165-8 provides high output, extended frequency response, and low distortion—perfect for use in compact full range applications as well as a separate component in multi-way speaker systems.

Specifications: • Power handling: 100 watts RMS/150 watts max • VCDIA: 1-1/2" • Impedance: 8 ohms • Re: 7 ohms • Frequency range: 95 - 9,000 Hz • Fs: 95 Hz • SPL: 93 dB 2.83V/1m • VAS: 0.31 cu. ft. • QMS: 8.82 • QES: 0.64 • QTS: 0.59 • Dimensions: A: 6-1/2", B: 5-5/8", C: 3".

#295-020 ..... $38.99 LIST Regularly $29.90 $24.00 EACH

Eminence Kappalite Neodymium 12" Drivers

3012HO Neo 12" Driver

NEW

EMINENCE

- Lightweight neodymium magnet
- Die-cast aluminum basket
- 6.2 mm XMAX provides great bass output
- 3" diameter aluminum voice coil
- Net weight: 7.1 lbs.

Great for 2-way systems including floor monitors, and as the mid component in large multi-way PA systems.

Specifications: • Power handling: 400 watts RMS • VCDIA: 3" • Le: 0.57 mH • Impedance: 8 ohms • Re: 5.5 ohms • Frequency range: 51-3,500 Hz • Magnet weight: 11 oz. • Fs: 51.5 Hz • SPL: 100.5 dB 1W/1m • VAS: 2.86 cu. ft. • QMS: 8.39 • QES: 0.33 • QTS: 0.32 • XMAX: 6.2 mm • Dimensions: A: 12.38", B: 11.06", C: 5.63".

#290-589 ..... $199.99 LIST $169.97 EACH

3012LF Neo 12" Driver

- Lightweight neodymium magnet
- Die-cast aluminum basket
- Usefully low free air resonance
- 9.1 mm XMAX provides more bass output
- 3" diameter copper voice coil
- Net weight: 7.6 lbs.



Great for 2-way systems including floor monitors.

Specifications: • Power handling: 450 watts RMS • VCDIA: 3" • Le: 0.98 mH • Impedance: 8 ohms • Re: 5.6 ohms • Frequency range: 46-2,000 Hz • Magnet weight: 11 oz. • Fs: 37 Hz • SPL: 95.5 dB 1W/1m • VAS: 3.72 cu. ft. • QMS: 6.94 • QES: 0.34 • QTS: 0.32 • XMAX: 9.1 mm • Dimensions: A: 12.38", B: 11.06", C: 6".

#290-590 ..... $199.99 LIST $179.97 EACH

Eminence Kappalite™ 450W Neodymium 15" Woofers

- Neodymium magnet structure delivers incredible performance without the weight
- Die-cast aluminum basket/heatsink

Kappalite™ 3015 15" Neo Woofer

Recommended for vented professional audio enclosures for full-range or as mids.

Specifications: • Power handling: 450 watts RMS/900 watts max • VCDIA: 3" • Le: 0.64 mH • Impedance: 8 ohms • Re: 5.27 ohms • Frequency range: 40-4,000 Hz • Magnet weight: 11 oz. • Fs: 45 Hz • Sensitivity: 100.8 dB 1W/1m • VAS: 5.4 cu. ft. • QMS: 6.70 • QES: 0.36 • QTS: 0.34 • XMAX: 5.9 mm • Dimensions: A: 15.32", B: 14", C: 6.8".

#290-597 ..... $174.99 LIST $169.97 EACH

Kappalite™ 3015LF 15" Neo Woofer

Recommended for professional audio and bass in a vented enclosure.

Specifications: • Power handling: 450 watts RMS/900 watts max • VCDIA: 3" • Le: 0.92 mH • Impedance: 8 ohms • Re: 5.31 ohms • Frequency range: 40-1,500 Hz • Magnet weight: 11 oz. • Fs: 42 Hz • Sensitivity: 99.8 dB 1W/1m • VAS: 5.6 cu. ft. • QMS: 6.82 • QES: 0.41 • QTS: 0.39 • XMAX: 9.6 mm • Dimensions: A: 15.32", B: 14", C: 7.25".

#290-598 ..... $184.99 LIST $179.97 EACH

FREE SHIPPING EVERYDAY
*On most orders over $98. See page 2

New at Parts Express—Allen & Heath!

Allen & Heath ZED-24 Mixing Console

ALLEN&HEATH

NEW

- 16 mono mic/line inputs
- 4 stereo line inputs
- 4 aux sends (2 pre-, 2 post-fade)
- Professional 100 mm faders
- USB send and return for PC/MAC with controls for recording playback and effects

Allen & Heath's ZED-24 is a small format, USB-equipped stereo mixer for live and recording applications. The feature-set is incredibly advanced for a mixer at this level—it has 23 independent sources to the mix, 10 independent outputs, 4 aux sends, a USB send & return (for PC or Mac recording, playback and effects), a unique dual stereo input capability, and some very advanced monitoring facilities.

In fact, ZED-24 is so packed full of great features that you'd think it would cost much, much more! The ZED-24 can be used for many different tasks, whether in live performance, utilizing plug-in effects via USB, live recording via USB and Cakewalk, studio recording or mixing down to produce your own 2-track recordings.

#246-2236 ..... $799.00 LIST **$699.00** EACH

Need more info? Visit parts-express.com!

Allen & Heath | Search

Neutrik ConvertCON Cable Mount Unisex XLR Connectors

NEUTRIK

NEW

#092-070 #092-072

- World's first unisex XLR
- 3-pole male and female cable connector in one housing
- Easy selectable gender—converted by sliding housing back and forth
- Substitute adapters, ideal as an emergency kit
- With all benefits of the Neutrik XLR XX series

Introducing Neutrik ConvertCON—the world's first 3 pole unisex XLR cable connector. Features a rugged zinc diecast shell and gold-plated contacts. Available in nickel (NC3FM-C) or black (NC3FM-C-B) finish.

#092-070 (Nickel) ..... $17.55 LIST **$14.89** (1-9) **$13.86** (10-UP)

#092-072 (Black) ..... $18.19 LIST **$15.57** (1-9) **$14.36** (10-UP)

Neutrik NA3 Panel Mount XLR Adapters

NEW

#092-075 #092-077

Made with the same rugged diecast shell as the NC3* series connectors, the NA3 panel mount XLR feed-through adapters offers the professional look, compact design, and durability that you've come to expect from Neutrik. Standard "D" series cutout.

#092-075 (NA3MDF) .....$10.23 LIST **$7.58** (1-9) **$7.15** (10-49)
(3-pin XLR male (front) to female (rear))

#092-077 (NA3FDM) .....$10.77 LIST **$7.98** (1-9) **$7.53** (10-49)
(3-pin XLR female (front) to male (rear))

Behringer Europower Series Power Amplifiers

The Legend Powers On

NEW

- 2 x 750 watts into 4 ohms/2,000 watts into 4 ohms bridge mode (EP2000)
- 2 x 1,400 watts into 4 ohms/4,000 watts into 4 ohms bridge mode (EP4000)
- 2-channel, parallel, or bridged mono operating modes for flexible application
- Neutrik® Speakon®-compatible and "touch-proof" binding post output connectors
- Balanced XLR and 1/4" TRS inputs

The EP2000 and EP4000 represent everything musicians love about Behringer's popular EP1500/EP2500—excellent sound quality, road-worthy toughness and reliability, low-noise operation, and incredible power. The new EP2000 and EP4000 are perfect for medium-sized club gigs, mobile PA systems, church services, or public spaces.

Everything You Need, Nothing You Don't!

Part #	Description	List Price	Price Each
248-746	Europower EP2000 Power Amp	$439.99	$299.99
248-748	Europower EP4000 Power Amp	519.99	349.99

Dynamic Microphone with Cable

Compare to $20



$9.50 EACH
#249-120

Dayton Audio XLR Adapters & Attenuators

Quickly and easily convert a 3-pin XLR input or output connection to 1/4" mono, 1/4" stereo (TRS), or RCA—and vice versa. For a quick fix, these rugged, metal shell XLR adapters are just what the doctor ordered. Note: XLR to 1/4" and XLR to RCA adapters are not impedance matching.

DAYTON AUDIO

NEW

#240-410 #240-418 #240-420 #240-432

#240-422 #240-426 #240-428

Part #	Mfg. #	Description	List Price	Price (1-4)	Price (5-UP)
240-410	XPR	In-line XLR phase reverser	$12.99	$9.90	$9.40
240-412	XATT10	In-line XLR attenuator pad 10 dB	12.99	9.90	9.40
240-414	XATT20	In-line XLR attenuator pad 15 dB	12.99	9.90	9.40
240-416	XATT30	In-line XLR attenuator pad 20 dB	12.99	9.90	9.40
240-418	XCFF	XLR female/female coupler	7.99	5.89	5.60
240-420	XCMM	XLR male/male coupler	7.99	5.89	5.60
240-422	XFQFM	XLR female to 1/4" mono female	7.99	5.89	5.60
240-424	XFQFS	XLR female to 1/4" stereo female	7.99	5.89	5.60
240-426	XFQMS	XLR female to 1/4" stereo Male	7.99	5.89	5.60
240-428	XFRF	XLR female to RCA female	7.99	5.89	5.60
240-430	XFRM	XLR female to RCA Male	7.99	5.89	5.60
240-432	XFQFSL	XLR female to locking 1/4" stereo female	12.99	9.90	9.40
240-434	XMQFM	XLR male to 1/4" mono female	7.99	5.89	5.60
240-436	XMQFS	XLR male to 1/4" stereo female	7.99	5.89	5.60
240-438	XMRF	XLR male to RCA female	7.99	5.89	5.60
240-440	XMQFSL	XLR male to locking 1/4" stereo female	12.99	9.90	9.40

TuneDok iPod® Car Holder

BELKIN.

- Designed for iPod® 3G, 4G, 5G and Classic
- Holds the iPod® securely in a flexible, non-scratch cradle with suction cup
- iPod® not included

$4.00 EACH
#139-002

Compare to $30

Add-A-Circuit Fuseholders

BEST SELLER

Littelfuse

This ingenious device allows quick and easy installation of additional 12V accessories without the need for splicing. Available for use with either ATO/ATC or mini knife fuses. Includes installation instructions. Max rating: 10 amps. Fuses not included.

#071-580 (ATO/ATC) $7.45 (1-3) $6.85 (4-UP)

#071-585 (Mini knife) $11.75 (1-3) $10.50 (4-UP)

Road Gear 150 Watt Amplifier Kit

- Everything you need to run power to one amplifier
- Recommended for up to 150 watts max
- Also great for running power to many other high-current 12V accessories



ROAD GEAR

$2.50 EACH
#269-904

Factory buyout—limited availability!

Compare to $10

Take it with You!

- Converts 12 Volts DC to 1.5, 3, 4.5, 5, 6, 9, or 12 VDC
- Includes the most commonly used plug tips for today's portable electronics
- Voltage regulation protects equipment from being damaged
- Eliminates the need for expensive batteries
- Save 75% off the MSRP through this factory buyout!

JENSEN

$5.00 EACH
#269-060

Compare to $20

Power your CD player, MP3 player, or other portable device using your vehicle's cigarette lighter or power accessory jack with this Jensen high-current 1,000 mA DC adapter. Mfg. #JCD22A.

Audiovox IR1CFF IR Wireless Headphones

- New fold-flat design for easy storage
- Adjustable headband with upgraded foam earpieces
- Auto shutoff
- Adjustable volume control
- Works with all Audiovox and many other manufacturers' LCD monitors with IR headphone capability

AUDIOVOX ELECTRONICS CORP.

5 STAR

#205-735 ..... $49.99 LIST $29.89 EACH

Dual® HD Radio™ In-Dash FM/AM CD Receivers

5 STAR

Dual

- Built-in HD Radio™ tuner provides static-free digital music—all subscription free
- Black/white dot matrix type display
- MP3 and WMA encoded CD-R/RW playback
- Front panel AUX input (3.5 mm) for iPod® or MP3 players
- Rotary encoder control with electronic volume, bass, treble, balance, fader

SPECIAL

HD Digital Radio

Dual's HD Radios allow playback of your favorite MP3 and WMA files recorded on CD-R/RW discs. The XHD6425 adds a front-panel USB port and optional Bluetooth® Wireless Technology allowing you to take portable devices to the next level. Both models feature a built-in HD Radio™ tuner providing the richest, most rewarding listening experience with static-free digital music—all provided subscription free.

#267-530 (XHD6420) .... $189.99 LIST Regularly $118.94 $99.96 EACH

#267-532 (XHD6425) .... $229.99 LIST Regularly $139.86 $118.98 EACH

Dual® BTM60 Bluetooth Module

- Make phone calls or answer them in your car using the BTM60 Talk button or radio's front-panel controls
- Wirelessly stream music from your Bluetooth enabled cell phone or audio device
- Supports Bluetooth Hand-Free Profile (HFP) and A2DP for stereo audio streaming
- Integrated noise and echo canceling microphone
- Easy one-wire installation with visor mounting clip and 3 meter cable
- Compatible with Dual model XHD6425 HD Radio™

Bluetooth

SPECIAL

#267-534 ..... $79.99 LIST Regularly $48.89 $46.45 EACH

Pyle 7" Widescreen TFT-LCD 16:9 Monitor

With Headrest Shroud & Universal Stand

PYLE®

- 7" TFT-LCD active matrix high-resolution display monitor
- 16:9 widescreen
- Slim-size wireless remote control
- Two audio/video inputs, front panel controls, and wide, off-axis visibility
- On-Screen Display
- Includes headrest shroud and universal stand-style bracket

SPECIAL

High resolution 7" TFT-LCD monitor from Pyle features a 16:9 wide-angle display, two audio/video inputs including one front-mounted jack, front headphone output, and front panel controls. Includes a headrest shroud and universal stand-style bracket.

Specifications: • Aspect ratio: 16:9 • Video format: NTSC/PAL • Back light: High brightness CCFT • Power requirements: 12~14.4 VDC, < 9W • Mfg. #PLHR76.

#205-508 ..... $205.00 LIST Regularly $99.64 $79.00 EACH

Parts Express Intl.
725 Pleasant Valley Dr.
Springboro, OH 45066-1158
Phone: 937-743-3000
Fax: 937-743-1677
Website: parts-express.com

© 2009 Parts Express

PRSRT STD
U.S. POSTAGE
PAID
PARTS
EXPRESS

CURRENT RESIDENT OR

CUSTOMER ID
45804FAI

KEY CODE
9DC

**********AUTO**5-DIGIT 45804

FAIR RADIO SALES CO INC
2395 SAINT JOHNS RD
LIMA OH 45804-3862

PE01

0111
0002
019
4512

parts-express.com **1-800-338-0531**

FREE SHIPPING EVERYDAY!
*On most orders over $98

$119.00 EACH
#139-100

6 Outlet 2200VA UPS 1320W
Power it up! See page 15.

As Low As **$29.80 EACH**
#299-850

TYMPHANY

LAT Subwoofer
Unique subwoofer design!

As Low As **$39.80 EACH**
#300-380

DAYTON AUDIO **Class T Digital Amplifier**
I pity the fool that buys another amp!

$99.80 EACH
#309-040

2 x 20W Local Amplifier
Think locally, act globally!

Boston Boston Acoustics

As Low As **$2.00 EACH**
#289-124

2" Full Range Aluminum Driver
Build a line array for less!

Digital Sound Level Meter

$19.88 EACH
#390-722

Go ahead — turn it up!